

Clustering (군집)

김지수 (Jisu KIM)

통계적 기계학습(Statistical Machine Learning), 2025 1학기 (spring)

The lecture note is a minor modification of the lecture notes from Prof. Larry Wasserman's "Statistical Machine Learning".

1 The Clustering (군집) Problem

In a clustering (군집) problem we aim to find groups in the data. Unlike classification(분류), the data are not labeled, and so clustering is an example of *unsupervised learning* (비지도학습). We will study the following approaches:

1. k -means (k 평균 군집)
2. Mixture models (혼합 모형)
3. Density-based Clustering (밀도 기반 군집) I: Modes
4. Density-based Clustering (밀도 기반 군집) II: Level Sets and Trees
5. Hierarchical Clustering (계층적 군집)
6. Spectral Clustering (스펙트럼 군집)

Some issues that we will address are:

1. Rates of convergence (수렴률)
2. Choosing tuning parameters (조율 매개변수 선택)
3. Variable selection (변수 선택)
4. High Dimensional Clustering (고차원 군집)

Example. Figures 1 and 2 show some synthetic examples where the clusters are meant to be intuitively clear. In Figure 1 there are two blob-like clusters. Identifying clusters like this is easy. Figure 2 shows four clusters: a blob, two rings and a half ring. Identifying clusters with unusual shapes like this is not quite as easy. In fact, finding clusters of this type requires nonparametric methods.




Figure 1: A synthetic example with two "blob-like" clusters.




Figure 2: A synthetic example with four clusters with a variety of different shapes.

2 k-means (k 평균 군집) (Vector Quantization)

One of the oldest approaches to clustering is to find k representative points, called *prototypes* or *cluster centers*, and then divide the data into groups based on which prototype they are closest to. For now, we assume that k is given. Later we discuss how to choose k .

Warning! My view is that k is a tuning parameter (조율 매개변수); it is **not** the number of clusters. Usually we want to choose k to be larger than the number of clusters.

Let $X_1, \dots, X_n \sim P$ where $X_i \in \mathbb{R}^d$. Let $C = \{c_1, \dots, c_k\}$ where each $c_j \in \mathbb{R}^d$. We call C a codebook. Let $\Pi_C[X]$ be the projection (사영) of X onto C :

$$\Pi_C[X] = \operatorname{argmin}_{c \in C} \|c - X\|^2.$$

Define the empirical clustering risk (경험적 군집위험) of a codebook C by

$$R_n(C) = \frac{1}{n} \sum_{i=1}^n \|X_i - \Pi_C[X_i]\|^2 = \frac{1}{n} \sum_{i=1}^n \min_{1 \leq j \leq k} \|X_i - c_j\|^2.$$

Let \mathcal{C}_k denote all codebooks of length k . The optimal codebook $\hat{C} = \{\hat{c}_1, \dots, \hat{c}_k\} \in \mathcal{C}_k$ minimizes $R_n(C)$:

$$\hat{C} = \operatorname{argmin}_{C \in \mathcal{C}_k} R_n(C).$$

The empirical risk is an estimate of the population clustering risk (모수 군집위험) defined by

$$R(C) = \mathbb{E} \left\| X - \Pi_C[X] \right\|^2 = \mathbb{E} \min_{1 \leq j \leq k} \|X - c_j\|^2$$

where $X \sim P$. The optimal population quantization $C^* = \{c_1^*, \dots, c_k^*\} \in \mathcal{C}_k$ minimizes $R(C)$. We can think of \hat{C} as an estimate of C^* . This method is called k -means clustering (k 평균 군집) or vector quantization.

A codebook $C = \{c_1, \dots, c_k\}$ defines a set of cells known as a *Voronoi tessellation*. Let

$$V_j = \left\{ x : \|x - c_j\| \leq \|x - c_s\|, \text{ for all } s \neq j \right\}.$$

The set V_j is known as a Voronoi cell and consists of all points closer to c_j than any other point in the codebook. See Figure 3.

The usual algorithm to minimize $R_n(C)$ and find \hat{C} is the k -means clustering algorithm (k 평균 군집 알고리즘) — also known as Lloyd’s algorithm— see Figure 4. The risk $R_n(C)$ has multiple minima. The algorithm will only find a local minimum (극소) and the solution depends on the starting values. A common way to choose the starting values is to select k data points at random. We will discuss better methods for choosing starting values in Section 2.1.

Example. Figure 5 shows synthetic data inspired by the Mickey Mouse example from http://en.wikipedia.org/wiki/K-means_clustering. The data in the top left plot form three clearly defined clusters. k -means easily finds in the clusters (top right). The bottom shows the same example except that we now make the groups very unbalanced. The lack of balance causes k -means to produce a poor clustering. But note that, if we “overfit then merge” then there is no problem.

Example. We applied k -means clustering to the Topex data with $k = 9$. (Topex is a satellite.) The data are discretized so we treated each curve as one vector of length 70. The resulting nine clusters are shown in Figure 6.




Figure 3: The Voronoi tessellation formed by 10 cluster centers c_1, \dots, c_{10} . The cluster centers are indicated by dots. The corresponding Voronoi cells T_1, \dots, T_{10} are defined as follows: a point x is in T_j if x is closer to c_j than c_i for $i \neq j$.

1. Choose k centers c_1, \dots, c_k as starting values.
2. Form the clusters C_1, \dots, C_k as follows. Let $g = (g_1, \dots, g_n)$ where $g_i = \operatorname{argmin}_j \|X_i - c_j\|$. Then $C_j = \{X_i : g_i = j\}$.
3. For $j = 1, \dots, k$, let n_j denote the number of points in C_j and set

$$c_j \leftarrow \frac{1}{n_j} \sum_{i: X_i \in C_j} X_i.$$

4. Repeat steps 2 and 3 until convergence.
5. Output: centers $\hat{C} = \{c_1, \dots, c_k\}$ and clusters C_1, \dots, C_k .

Figure 4: The k -means (Lloyd's) clustering algorithm.




Figure 5: *Synthetic data inspired by the “Mickey Mouse” example from wikipedia. Top left: three balanced clusters. Top right: result from running k means with $k = 3$. Bottom left: three unbalanced clusters. Bottom right: result from running k means with $k = 3$ on the unbalanced clusters. k -means does not work well here because the clusters are very unbalanced.*




Figure 6: The nine clusters found in the Topex data using k -means clustering with $k = 9$. Each plot show the curves in that cluster together with the mean of the curves in that cluster.




Figure 7: Clustering of the supernova light curves with $k = 4$.

Example (Supernova Clustering). Figure 7 shows supernova data where we apply k -means clustering with $k = 4$. The type Ia supernovae get split into two groups although the groups are very similar. The other type also gets split into two groups which look qualitatively different.

Example. The top left plot of Figure 8 shows a dataset with two ring-shaped clusters. The remaining plots show the clusters obtained using k -means clustering with $k = 2, 3, 4$. Clearly, k -means does not capture the right structure in this case unless we overfit then merge.

2.1 Starting Values for k -means

Since $\hat{R}_n(C)$ has multiple minima, Lloyd's algorithm is not guaranteed to minimize $R_n(C)$. The clustering one obtains will depend on the starting values. The simplest way to choose starting values is to use k randomly chosen points. But this often leads to poor clustering.

Example. Figure 9 shows data from a distribution with nine clusters. The raw data are in the top left plot. The top right plot shows the results of running the k -means algorithm with $k = 9$ using random points as starting values. The clustering is quite poor. This is because we have not found the global minimum of the empirical risk function. The two bottom plots show better methods for selecting starting values that we will describe below.

Hierarchical Starting Values. Tseng and Wong [2005] suggest the following method for choosing starting values for k -means. Run single-linkage hierarchical clustering (which we describe in Section 6) to obtain $p \times k$ clusters. They suggest using $p = 3$ as a default. Now take the centers of the k -largest of the $p \times k$ clusters and use these as starting values. See the bottom left plot in Figure 9.

k -means⁺⁺. Arthur and Vassilvitskii [2007] invented an algorithm called k -means⁺⁺ to get good starting values. They show that if the starting points are chosen in a certain way, then we can get close to the minimum with high probability. In fact the starting points themselves — which we call seed points — are already close to minimizing $R_n(C)$. The algorithm is described in Figure 10. See the bottom right plot in Figure 9 for an example.

Theorem (Arthur and Vassilvitskii [2007]). *Let $C = \{c_1, \dots, c_k\}$ be the seed points from the k -means⁺⁺ algorithm. Then,*

$$\mathbb{E}(R_n(C)) \leq 8(\log k + 2) \left(\min_C R_n(C) \right) \quad (1)$$

where the expectation is over the randomness of the algorithm.




Figure 8: Top left: a dataset with two ring-shaped clusters. Top right: k -means with $k = 2$. Bottom left: k -means with $k = 3$. Bottom right: k -means with $k = 4$.

See Arthur and Vassilvitskii [2007] for a proof. They also show that the Euclidean distance can be replaced with the ℓ_p norm in the algorithm. The result is the same except that the constant 8 gets replaced by 2^{p+2} . It is possible to improve the k -means⁺⁺ algorithm. Ailon et al. [2009] showed that, by choosing $3 \log k$ points instead of one point, at each step of the algorithm, the $\log k$ term in (1) can be replaced by a constant. They call the algorithm, k -means#.

2.2 Choosing k

In k -means clustering we must choose a value for k . This is still an active area of research and there are no definitive answers. The problem is much different than choosing a tuning parameter in regression or classification because there is no observable label to predict. Indeed, for k -means clustering, both the true risk R and estimated risk R_n decrease to 0 as k increases. This is in contrast to classification where the true risk gets large for high complexity classifiers even though the empirical risk decreases. Hence, minimizing risk does not make sense. There are so many proposals for choosing tuning parameters in clustering that we cannot possibly consider all of them here. Instead, we highlight a few methods.

Elbow Methods. One approach is to look for sharp drops in estimated risk. Let R_k denote the minimal risk among all possible clusterings and let \hat{R}_k be the empirical risk. It is easy to see that R_k is a nonincreasing function of k so minimizing R_k does not make sense. Instead, we can look for the first k such that the improvement $R_k - R_{k+1}$ is small, sometimes called an elbow. This can be done informally by looking at a plot of \hat{R}_k . We can try to make this more formal by fixing a small number $\alpha > 0$ and defining

$$k_\alpha = \min \left\{ k : \frac{R_k - R_{k+1}}{\sigma^2} \leq \alpha \right\} \quad (2)$$

where $\sigma^2 = \mathbb{E}(\|X - \mu\|^2)$ and $\mu = \mathbb{E}(X)$. An estimate of k_α is

$$\hat{k}_\alpha = \min \left\{ k : \frac{\hat{R}_k - \hat{R}_{k+1}}{\hat{\sigma}^2} \leq \alpha \right\} \quad (3)$$

where $\hat{\sigma}^2 = n^{-1} \sum_{i=1}^n \|X_i - \bar{X}\|^2$.

Unfortunately, the elbow method often does not work well in practice because there may not be a well-defined elbow.




Figure 9: An example with 9 clusters. Top left: data. Top right: k -means with random starting values. Bottom left: k -means using starting values from hierarchical clustering. Bottom right: the k -means⁺⁺ algorithm.

1. Input: Data $X = \{X_1, \dots, X_n\}$ and an integer k .
2. Choose c_1 randomly from $X = \{X_1, \dots, X_n\}$. Let $C = \{c_1\}$.
3. For $j = 2, \dots, k$:
 - (a) Compute $D(X_i) = \min_{c \in C} \|X_i - c\|$ for each X_i .
 - (b) Choose a point X_i from X with probability

$$p_i = \frac{D^2(X_i)}{\sum_{j=1}^n D^2(X_j)}.$$
 - (c) Call this randomly chosen point c_j . Update $C \leftarrow C \cup \{c_j\}$.
4. Run Lloyd's algorithm using the **seed points** $C = \{c_1, \dots, c_k\}$ as starting points and output the result.

Figure 10: The k -means⁺⁺ algorithm.

Hypothesis Testing. A more formal way to choose k is by way of hypothesis testing. For each k we test

$$H_k : \text{the number of clusters is } k \quad \text{versus} \quad H_{k+1} : \text{the number of clusters is } > k.$$

We begin $k = 1$. If the test rejects, then we repeat the test for $k = 2$. We continue until the first k that is not rejected. In summary, \hat{k} is the first k for which k is not rejected.

Currently, my favorite approach is the one in Liu et al. [2008]. They simply test if the data are multivariate Normal. If this rejects, they split into two clusters and repeat. They have an R package `sigclust` for this. A similar procedure, called PG means is described in Feng and Hamerly [2006].

Example. Figure 11 shows a two-dimensional example. The top left plot shows a single cluster. The p-values are shown as a function of k in the top right plot. The first k for which the p-value is larger than $\alpha = .05$ is $k = 1$. The bottom left plot shows a dataset with three clusters. The p-values are shown as a function of k in the bottom right plot. The first k for which the p-value is larger than $\alpha = .05$ is $k = 3$.

Stability. Another class of methods are based on the idea of stability. The idea is to find the largest number of clusters than can be estimated with low variability.

We start with a high level description of the idea and then we will discuss the details. Suppose that $Y = (Y_1, \dots, Y_n)$ and $Z = (Z_1, \dots, Z_n)$ are two independent samples from P . Let A_k be any clustering algorithm that takes the data as input and outputs k clusters. Define the *stability*

$$\Omega(k) = \mathbb{E}[s(A_k(Y), A_k(Z))] \tag{4}$$

where $s(\cdot, \cdot)$ is some measure of the similarity of two clusterings. To estimate Ω we use random subsampling. Suppose that the original data are $X = (X_1, \dots, X_{2n})$. Randomly split the data into two equal sets Y and Z of size n . This process is repeated N times. Denote the random split obtained in the j^{th} trial by Y^j, Z^j . Define

$$\hat{\Omega}(k) = \frac{1}{N} \sum_{j=1}^N [s(A_k(Y^j), A_k(Z^j))].$$

For large N , $\hat{\Omega}(k)$ will approximate $\Omega(k)$. There are two ways to choose k . We can choose a small k with high stability. Alternatively, we can choose k to maximize $\hat{\Omega}(k)$ if we somehow standardize $\hat{\Omega}(k)$.

Now we discuss the details. First, we need to define the similarity between two clusterings. We face two problems. The first is that the cluster labels are arbitrary: the clustering $(1, 1, 1, 2, 2, 2)$ is the same as the clustering $(4, 4, 4, 8, 8, 8)$. Second, the clusterings $A_k(Y)$ and $A_k(Z)$ refer to different data sets.

The first problem is easily solved. We can insist the labels take values in $\{1, \dots, k\}$ and then we can maximize the similarity over all permutations of the labels. Another way to solve the problem is the following. Any clustering




Figure 11: Top left: a single cluster. Top right: p-values for various k . The first k for which the p-value is larger than .05 is $k = 1$. Bottom left: three clusters. Bottom right: p-values for various k . The first k for which the p-value is larger than .05 is $k = 3$.

method can be regarded as a function ψ that takes two points x and y and outputs a 0 or a 1. The interpretation is that $\psi(x, y) = 1$ if x and y are in the same cluster while $\psi(x, y) = 0$ if x and y are in a different cluster. Using this representation of the clustering renders the particular choice of labels moot. This is the approach we will take.

Let ψ_Y and ψ_Z be clusterings derived from Y and Z . Let us think of Y as training data and Z as test data. Now ψ_Y returns a clustering for Y and ψ_Z returns a clustering for Z . We'd like to somehow apply ψ_Y to Z . Then we would have two clusterings for Z which we could then compare. There is no unique way to do this. A simple and fairly general approach is to define

$$\psi_{Y,Z}(Z_j, Z_k) = \psi_Y(Y'_j, Y'_k) \quad (5)$$

where Y'_j is the closest point in Y to Z_j and Y'_k is the closest point in Y to Z_k . (More generally, we can use Y and the cluster assignment to Y as input to a classifier; see Lange et al 2004). The notation $\psi_{Y,Z}$ indicates that ψ is trained on Y but returns a clustering for Z . Define

$$s(\psi_{Y,Z}, \psi_Z) = \frac{1}{\binom{n}{2}} \sum_{s \neq t} I(\psi_{Y,Z}(Z_s, Z_t) = \psi_Z(Z_s, Z_t)).$$

Thus s is the fraction of pairs of points in Z on which the two clusterings $\psi_{Y,Z}$ and ψ_Z agree. Finally, we define

$$\hat{\Omega}(k) = \frac{1}{N} \sum_{j=1}^N s(\psi_{Y^j, Z^j}, \psi_{Z^j}).$$

Now we need to decide how to use $\hat{\Omega}(k)$ to choose k . The interpretation of $\hat{\Omega}(k)$ requires some care. First, note that $0 \leq \hat{\Omega}(k) \leq 1$ and $\hat{\Omega}(1) = \hat{\Omega}(n) = 1$. So simply maximizing $\hat{\Omega}(k)$ does not make sense. One possibility is to look for a small k larger than $k > 1$ with a high stability. Alternatively, we could try to normalize $\hat{\Omega}(k)$. Lange et al. [2004] suggest dividing by the value of $\hat{\Omega}(k)$ obtained when cluster labels are assigned randomly. The theoretical justification for this choice is not clear. Tibshirani, Walther, Botstein and Brown (2001) suggest that we should compute the stability separately over each cluster and then take the minimum. However, this can sometimes lead to very low stability for all $k > 1$.

Many authors have considered schemes of this form, including Breckenridge (1989), Lange et al. [2004], Ben-Hur, Elisseeff and Guyon (2002), Dudoit and Fridlyand [2002], Levine and Domany [2001], Buhmann [2010], Tibshirani, Walther, Botstein and Brown (2001) and Rinaldo and Wasserman [2010].

It is important to interpret stability correctly. These methods choose the largest number of stable clusters. That does not mean they choose “the true k .” Indeed, Ben-David et al. [2006], Ben-David and von Luxburg [2008] and Rakhlin (2007) have shown that trying to use stability to choose “the true k ” — even if that is well-defined — will not work. To explain this point further, we consider some examples from Ben-David et al. [2006]. Figure 12 shows the four examples. The first example (top left plot) shows a case where we fit $k = 2$ clusters. Here, stability analysis will correctly show that k is too small. The top right plot has $k = 3$. Stability analysis will correctly show that k is too large. The bottom two plots show potential failures of stability analysis. Both cases are stable but $k = 2$ is too small in the bottom left plot and $k = 3$ is too big in the bottom right plot. Stability is subtle. There is much potential for this approach but more work needs to be done.

2.3 Theoretical Properties

A theoretical property of the k -means method is given in the following result. Recall that $C^* = \{c_1^*, \dots, c_k^*\}$ minimizes $R(C) = \mathbb{E}||X - \Pi_C[X]||^2$.

Theorem. Suppose that $\mathbb{P}(\|X_i\|^2 \leq B) = 1$ for some $B < \infty$. Then

$$\mathbb{E}(R(\hat{C})) - R(C^*) \leq c \sqrt{\frac{k(d+1) \log n}{n}} \quad (6)$$

for some $c > 0$.

Warning! The fact that $R(\hat{C})$ is close to $R(C_*)$ does not imply that \hat{C} is close to C_* .

This proof is due to Linder et al. [1994]. The proof uses techniques from a later lecture on VC theory so you may want to return to the proof later.




Figure 12: Examples from Ben-David et al. [2006]. The first example (top left plot) shows a case where we fit $k = 2$ clusters. Stability analysis will correctly show that k is too small. The top right plot has $k = 3$. Stability analysis will correctly show that k is too large. The bottom two plots show potential failures of stability analysis. Both cases are stable but $k = 2$ is too small in the bottom left plot and $k = 3$ is too big in the bottom right plot.

Proof. Note that $R(\hat{C}) - R(C^*) = R(\hat{C}) - R_n(\hat{C}) + R_n(\hat{C}) - R(C^*) \leq R(\hat{C}) - R_n(\hat{C}) + R_n(C^*) - R(C^*) \leq 2 \sup_{C \in \mathcal{C}_k} |R(\hat{C}) - R_n(\hat{C})|$. For each C define a function f_C by $f_C(x) = \|x - \Pi_C[x]\|^2$. Note that $\sup_x |f_C(x)| \leq 4B$ for all C . Now, using the fact that $\mathbb{E}(Y) = \int_0^\infty \mathbb{P}(Y \geq t) dt$ whenever $Y \geq 0$, we have

$$\begin{aligned}
2 \sup_{C \in \mathcal{C}_k} |R(\hat{C}) - R_n(\hat{C})| &= 2 \sup_C \left| \frac{1}{n} \sum_{i=1}^n f_C(X_i) - \mathbb{E}(f_C(X)) \right| \\
&= 2 \sup_C \left| \int_0^\infty \left(\frac{1}{n} \sum_{i=1}^n I(f_C(X_i) > u) - \mathbb{P}(f_C(Z) > u) \right) du \right| \\
&\leq 8B \sup_{C, u} \left| \frac{1}{n} \sum_{i=1}^n I(f_C(X_i) > u) - \mathbb{P}(f_C(Z) > u) \right| \\
&= 8B \sup_A \left| \frac{1}{n} \sum_{i=1}^n I(X_i \in A) - \mathbb{P}(A) \right|
\end{aligned}$$

where A varies over all sets \mathcal{A} of the form $\{f_C(x) > u\}$. The shattering number of \mathcal{A} is $s(\mathcal{A}, n) \leq n^{k(d+1)}$. This follows since each set $\{f_C(x) > u\}$ is a union of the complements of k spheres. By the VC Theorem,

$$\begin{aligned}
\mathbb{P}(R(\hat{C}) - R(C^*) > \epsilon) &\leq \mathbb{P} \left(8B \sup_A \left| \frac{1}{n} \sum_{i=1}^n I(X_i \in A) - \mathbb{P}(A) \right| > \epsilon \right) \\
&= \mathbb{P} \left(\sup_A \left| \frac{1}{n} \sum_{i=1}^n I(X_i \in A) - \mathbb{P}(A) \right| > \frac{\epsilon}{8B} \right) \\
&\leq 4(2n)^{k(d+1)} e^{-n\epsilon^2/(512B^2)}.
\end{aligned}$$

Now conclude that $\mathbb{E}(R(\hat{C}) - R(C^*)) \leq C \sqrt{k(d+1)} \sqrt{\frac{\log n}{n}}$. □

A sharper result, together with a lower bound is the following.

Theorem (Bartlett et al. [1998]). *Suppose that $\mathbb{P}(\|X\|^2 \leq 1) = 1$ and that $n \geq k^{4/d}$, $\sqrt{dk^{1-2/d} \log n} \geq 15$, $kd \geq 8$, $n \geq 8d$ and $n/\log n \geq dk^{1+2/d}$. Then,*

$$\mathbb{E}(R(\hat{C})) - R(C^*) \leq 32 \sqrt{\frac{dk^{1-2/d} \log n}{n}} = O \left(\sqrt{\frac{dk \log n}{n}} \right).$$

Also, if $k \geq 3$, $n \geq 16k/(2\Phi^2(-2))$ then, for any method \hat{C} that selects k centers, there exists P such that

$$\mathbb{E}(R(\hat{C})) - R(C^*) \geq c_0 \sqrt{\frac{k^{1-4/d}}{n}}$$

where $c_0 = \Phi^4(-2)2^{-12}/\sqrt{6}$ and Φ is the standard Gaussian distribution function.

See Bartlett et al. [1998] for a proof. It follows that k -means is risk consistent in the sense that $R(\hat{C}) - R(C^*) \xrightarrow{P} 0$, as long as $k = o(n/(d^3 \log n))$. Moreover, the lower bound implies that we cannot find any other method that improves much over the k -means approach, at least with respect to this loss function.

The k -means algorithm can be generalized in many ways. For example, if we replace the L_2 norm with the L_1 norm we get k -medians clustering. We will not discuss these extensions here.

2.4 Overfitting and Merging (과대적합과 병합)

The best way to use k -means clustering is to “overfit then merge” (과대적합 후 병합). Don’t think of the k in k -means as the number of clusters. Think of it as a tuning parameter (조율 매개변수). k -means clustering works much better if we:

1. Choose k large
2. merge close clusters

This eliminates the sensitivity to the choice of k and it allows k -means to fit clusters with arbitrary shapes. Currently, there is no definitive theory for this approach but in my view, it is the right way to do k -means clustering.

3 Mixture Models (혼합 모형)

Simple cluster structure can be discovered using mixture models (혼합 모형). We start with a simple example. We flip a coin with success probability π . If heads, we draw X from a density $p_1(x)$. If tails, we draw X from a density $p_0(x)$. Then the density of X is

$$p(x) = \pi p_1(x) + (1 - \pi) p_0(x),$$

which is called a mixture of two densities p_1 and p_0 . Figure 13 shows a mixture of two Gaussians distribution.

Let $Z \sim \text{Bernoulli}(\pi)$ be the unobserved coin flip. Then we can also write $p(x)$ as

$$p(x) = \sum_{z=0,1} p(x, z) = \sum_{z=0,1} p(x|z)p(z) \quad (7)$$

where $p(x|Z=0) := p_0(x)$, $p(x|Z=1) := p_1(x)$ and $p(z) = \pi^z(1-\pi)^{1-z}$. Equation (7) is called the hidden variable representation. A more formal definition of finite mixture models is as follows.

[Finite Mixture Models] Let $\{p_\theta(x) : \theta \in \Theta\}$ be a parametric class of densities. Define the mixture model

$$p_\psi(x) = \sum_{j=0}^{K-1} \pi_j p_{\theta_j}(x),$$

where the mixing coefficients $\pi_j \geq 0$, $\sum_{j=0}^{K-1} \pi_j = 1$ and $\psi = (\pi_0, \dots, \pi_{K-1}, \theta_0, \dots, \theta_{K-1})$ are the unknown parameters. We call $p_{\theta_0}, \dots, p_{\theta_{K-1}}$ the component densities.

Generally, even if $\{p_\theta(x) : \theta \in \Theta\}$ is an exponential family model, the mixture may no longer be an exponential family.

3.1 Mixture of Gaussians

Let $\phi(x; \mu_j, \sigma_j^2)$ be the probability density function of a univariate Gaussian distribution with mean μ_j and variance σ_j^2 . A typical finite mixture model is the mixture of Gaussians. In one dimension, we have

$$p_\psi(x) = \sum_{j=0}^{K-1} \pi_j \phi(x; \mu_j, \sigma_j^2),$$




Figure 13: A mixture of two Gaussians, $p(x) = \frac{2}{5}\phi(x; -1.25, 1) + \frac{3}{5}\phi(x; 2.95, 1)$.

which has $3K - 1$ unknown parameters, due to the restriction $\sum_{j=0}^{K-1} \pi_j = 1$.

A mixture of d -dimensional multivariate Gaussians is

$$p(x) = \sum_{j=0}^{K-1} \frac{\pi_j}{(2\pi)^{d/2} |\Sigma_j|^{1/2}} \exp \left\{ -\frac{1}{2} (x - u_j)^T \Sigma_j^{-1} (x - u_j) \right\}.$$

There are in total

$$K \left(\underbrace{\frac{d(d+1)}{2}}_{\text{\# of parameters in } \Sigma_j} + \underbrace{d}_{\text{\# of parameters in } u_j} \right) + \underbrace{(K-1)}_{\text{\# of mixing coefficients}} = \frac{Kd(d+3)}{2} + K - 1$$

parameters in the mixture of K multivariate Gaussians.

3.2 Maximum Likelihood Estimation (최대가능도추정)

A finite mixture model $p_\psi(x)$ has parameters $\psi = (\pi_0, \dots, \pi_{K-1}, \theta_0, \dots, \theta_{K-1})$. The likelihood (가능도) of ψ based on the observations X_1, \dots, X_n is

$$\mathcal{L}(\psi) = \prod_{i=1}^n p_\psi(X_i) = \prod_{i=1}^n \left(\sum_{j=0}^{K-1} \pi_j p_{\theta_j}(X_i) \right)$$

and, as usual, the maximum likelihood estimator (최대가능도추정량) is the value $\hat{\psi}$ that maximizes $\mathcal{L}(\psi)$. Usually, the likelihood is multimodal and one seeks a local maximum instead of a global maximum.

For fixed $\theta_0, \dots, \theta_{K-1}$, the log-likelihood is often a concave function (오목함수) of the mixing parameters π_j . However, for fixed π_0, \dots, π_{K-1} , the log-likelihood is not generally concave with respect to $\theta_0, \dots, \theta_{K-1}$.

One way to find $\hat{\psi}$ is to apply your favorite optimizer directly to the log-likelihood.

$$\ell(\psi) = \sum_{i=1}^n \log \left(\sum_{j=0}^{K-1} \pi_j p_{\theta_j}(X_i) \right).$$

However, $\ell(\psi)$ is not jointly convex with respect to ψ . It is not clear which algorithm is the best to optimize such a nonconvex objective function.

A convenient and commonly used algorithm for finding the maximum likelihood estimates of a mixture model (or the more general latent variable models) is the *expectation-maximization (EM)* algorithm. The algorithm runs in an iterative fashion and alternates between the “E-step” which computes conditional expectations with respect to the current parameter estimate, and the “M-step” which adjusts the parameter to maximize a lower bound on the likelihood. While the algorithm can be slow to converge, its simplicity and the fact that it doesn’t require a choice of step size make it a convenient choice for many estimation problems.

On the other hand, while simple and flexible, the EM algorithm is only one of many numerical procedures for obtaining a (local) maximum likelihood estimate of the latent variable models. In some cases procedures such as Newton’s method or conjugate gradient may be more effective, and should be considered as alternatives to EM. In general the EM algorithm converges linearly, and may be extremely slow when the amount of missing information is large,

In principle, there are polynomial time algorithms for finding good estimates of ψ based on spectral methods and the method of moments. It appears that, at least so far, these methods are not yet practical enough to be used in routine data analysis.

Example. The data are measurements on duration and waiting time of eruptions of the Old Faithful geyser from August 1 to August 15, 1985. There are two variables with 299 observations. The first variable, “Duration”, represents the numeric eruption time in minutes. The second variable, “waiting”, represents the waiting time to next eruption. This data is believed to have two modes. We fit a mixture of two Gaussians using EM algorithm. To illustrate the EM step, we purposely choose a bad starting point. The EM algorithm quickly converges in six steps. Figure 14 illustrates the fitted densities for all the six steps. We see that even though the starting density is unimodal, it quickly becomes bimodal.




Figure 14: Fitting a mixture of two Gaussians on the Old Faithful Geyser data. The initial values are $\pi_0 = \pi_1 = 0.5$, $u_0 = (4, 70)^T$, $u_1 = (3, 60)^T$, $\Sigma_1 = \Sigma_2 = \begin{pmatrix} 0.8 & 7 \\ 7 & 70 \end{pmatrix}$. We see that even though the starting density is not bimodal, the EM algorithm converges quickly to a bimodal density.

3.3 The Twilight Zone

Mixtures models are conceptually simple but they have some strange properties.

Computation. Finding the mle is NP-hard.

Infinite Likelihood. Let $p_\psi(x) = \sum_{j=1}^k \pi_j \phi(x; \mu_j, \sigma_j^2)$, be a mixture of Gaussians. Let $\mathcal{L}(\psi) = \prod_{i=1}^n p_\psi(X_i)$ be the likelihood function based on a sample of size n . Then $\sup_\psi \mathcal{L}(\psi) = \infty$. To see this, set $\mu_j = X_1$ for some j . Then $\phi(X_1; \mu_j, \sigma_j^2) = (\sqrt{2\pi}\sigma_j)^{-1}$. Now let $\sigma_j \rightarrow 0$. We have $\phi(X_1; \mu_j, \sigma_j^2) \rightarrow \infty$. Therefore, the log-likelihood is unbounded. This behavior is very different from a typical parametric model. Fortunately, if we define the maximum likelihood estimate to be a mode of $\mathcal{L}(\psi)$ in the interior of the parameter space, we get a well-defined estimator.

Multimodality of the Density. Consider the mixture of two Gaussians

$$p(x) = (1 - \pi)\phi(x; \mu_1, \sigma^2) + \pi\phi(x; \mu_0, \sigma^2).$$

You would expect $p(x)$ to be multimodal but this is not necessarily true. The density $p(x)$ is unimodal when $|\mu_1 - \mu_2| \leq 2\sigma$ and bimodal when $|\mu_1 - \mu_2| > 2\sigma$. One might expect that the maximum number of modes of a mixture of k Gaussians would be k . However, there are examples where a mixture of k Gaussians has more than k modes. In fact, Edelsbrunner et al. [2013] show that the relationship between the number of modes of p and the number of components in the mixture is very complex.

Nonidentifiability. A model $\{p_\theta(x) : \theta \in \Theta\}$ is identifiable if

$$\theta_1 \neq \theta_2 \quad \text{implies} \quad P_{\theta_1} \neq P_{\theta_2}$$

where P_θ is the distribution corresponding to the density p_θ . Mixture models are nonidentifiable in two different ways. First, there is nonidentifiability due to permutation of labels. For example, consider a mixture of two univariate Gaussians,

$$p_{\psi_1}(x) = 0.3\phi(x; 0, 1) + 0.7\phi(x; 2, 1)$$

and

$$p_{\psi_2}(x) = 0.7\phi(x; 2, 1) + 0.3\phi(x; 0, 1),$$

then $p_{\psi_1}(x) = p_{\psi_2}(x)$ even though $\psi_1 = (0.3, 0.7, 0, 2, 1)^T \neq (0.7, 0.3, 2, 0, 1)^T = \psi_2$. This is not a serious problem although it does contribute to the multimodality of the likelihood.

A more serious problem is local nonidentifiability. Suppose that

$$p(x; \pi, \mu_1, \mu_2) = (1 - \pi)\phi(x; \mu_1, 1) + \pi\phi(x; \mu_2, 1). \quad (8)$$

When $\mu_1 = \mu_2 = \mu$, we see that $p(x; \pi, \mu_1, \mu_2) = \phi(x; \mu)$. The parameter π has disappeared. Similarly, when $\pi = 1$, the parameter μ_2 disappears. This means that there are subspaces of the parameter space where the family is not identifiable. This local nonidentifiability causes many of the usual theoretical properties—such as asymptotic Normality of the maximum likelihood estimator and the limiting χ^2 behavior of the likelihood ratio test—to break down. For the model (8), there is no simple theory to describe the distribution of the likelihood ratio test for $H_0 : \mu_1 = \mu_2$ versus $H_1 : \mu_1 \neq \mu_2$. The best available theory is very complicated. However, some progress has been made lately using ideas from algebraic geometry (Yamazaki and Watanabe 2003, Watanabe 2010).

The lack of local identifiability causes other problems too. For example, we usually have that the Fisher information is non-zero and that $\hat{\theta} - \theta = O_P(n^{-1/2})$ where $\hat{\theta}$ is the maximum likelihood estimator. Mixture models are, in general, irregular: they do not satisfy the usual regularity conditions that make parametric models so easy to deal with. Here is an example from Chen (1995).

Consider a univariate mixture of two Gaussians distribution:

$$p_\theta(x) = \frac{2}{3}\phi(x; -\theta, 1) + \frac{1}{3}\phi(x; 2\theta, 1).$$

Then it is easy to check that $I(0) = 0$ where $I(\theta)$ is the Fisher information. Moreover, no estimator of θ can converge faster than $n^{-1/4}$ if the number of components is not known in advance. Compare this to a Normal family $\phi(x; \theta, 1)$ where the Fisher information is $I(\theta) = n$ and the maximum likelihood estimator converges at rate $n^{-1/2}$. Moreover, the distribution of the mle is not even well understood for mixture models. The same applies to the likelihood ratio test.

Nonintuitive Group Membership. Our motivation for studying mixture modes in this chapter was clustering. But one should be aware that mixtures can exhibit unexpected behavior with respect to clustering. Let

$$p(x) = (1 - \pi)\phi(x; \mu_1, \sigma_1^2) + \pi\phi(x; \mu_2, \sigma_2^2).$$

Suppose that $\mu_1 < \mu_2$. We can classify an observation as being from cluster 1 or cluster 2 by computing the probability of being from the first or second component, denoted $Z = 0$ and $Z = 1$. We get

$$\mathbb{P}(Z = 0 | X = x) = \frac{(1 - \pi)\phi(x; \mu_1, \sigma_1^2)}{(1 - \pi)\phi(x; \mu_1, \sigma_1^2) + \pi\phi(x; \mu_2, \sigma_2^2)}.$$

Define $Z(x) = 0$ if $\mathbb{P}(Z = 0 | X = x) > 1/2$ and $Z(x) = 1$ otherwise. When σ_1 is much larger than σ_2 , Figure 15 shows $Z(x)$. We end up classifying all the observations with large X_i to the leftmost component. Technically this is correct, yet it seems to be an unintended consequence of the model and does not capture what we mean by a cluster.

Improper Posteriors. Bayesian inference is based on the posterior distribution $p(\psi | X_1, \dots, X_n) \propto \mathcal{L}(\psi)\pi(\psi)$. Here, $\pi(\psi)$ is the prior distribution that represents our knowledge of ψ before seeing the data. Often, the prior is




Figure 15: Mixtures are used as a parametric method for finding clusters. Observations with $x = 0$ and $x = 6$ are both classified into the first component.

improper, meaning that it does not have a finite integral. For example, suppose that $X_1, \dots, X_n \sim N(\mu, 1)$. It is common to use an improper prior $\pi(\mu) = 1$. This is improper because

$$\int \pi(\mu) d\mu = \infty.$$

Nevertheless, the posterior $p(\mu|\mathcal{D}_n) \propto \mathcal{L}(\mu)\pi(\mu)$ is a proper distribution, where $\mathcal{L}(\mu)$ is the data likelihood of μ . In fact, the posterior for μ is $N(\bar{X}, 1/\sqrt{n})$ where \bar{x} is the sample mean. The posterior inferences in this case coincide exactly with the frequentist inferences. In many parametric models, the posterior inferences are well defined even if the prior is improper and usually they approximate the frequentist inferences. Not so with mixtures. Let

$$p(x; \mu) = \frac{1}{2}\phi(x; 0, 1) + \frac{1}{2}\phi(x; \mu, 1).$$

If $\pi(\mu)$ is improper then so is the posterior. Moreover, Wasserman [2002] shows that the only priors that yield posteriors in close agreement to frequentist methods are data-dependent priors.

Use With Caution. Mixture models can have very unusual and unexpected behavior. This does not mean that we should not use mixture models. Indeed, mixture models are extremely useful. However, when you use mixture models, it is important to keep in mind that many of the properties of models that we often take for granted, may not hold.

What Does All This Mean? Mixture models can have very unusual and unexpected behavior. This does not mean that we should not use mixture models. Compare this to kernel density estimators which are simple and very well understood. If you are going to use mixture models, I advise you to remember the words of Rod Serling:

There is a fifth dimension beyond that which is known to man. It is a dimension as vast as space and as timeless as infinity. It is the middle ground between light and shadow, between science and superstition, and it lies between the pit of man's fears and the summit of his knowledge. This is the dimension of imagination. It is an area which we call the Twilight Zone.

4 Density-Based Clustering (밀도 기반 군집) I: Modes

Let $p: \mathbb{R}^d \rightarrow \mathbb{R}$ be a density of X . Recall that a point $x \in \mathbb{R}^d$ is a critical point of p if its gradient ∇p is zero at x , i.e., $\nabla p(x) = 0$. The Hessian $H_x(p)$ is the derivative of the gradient ∇p at x .

Definition (Banyaga and Hurtubise [2004, Definition 3.1]). p is a *Morse function* if its critical points are all non-degenerate, that is, the determinant of the Hessian $H_x(p)$ is nonzero for all critical points x .

Assume that p has modes m_1, \dots, m_{k_0} and that p is a Morse function. For Morse function, m is a mode of p if and only if $\nabla p(m) = 0$ and all eigenvalues of $H_m(p)$ are negative. We can use the modes to define clusters as follows.




Figure 16: The left plot shows a function with four modes. The right plot shows the ascending manifolds (basins of attraction) corresponding to the four modes.

Mode Clustering

Given any point $x \in \mathbb{R}^d$, there is a unique gradient ascent path, or integral curve, passing through x that eventually leads to one of the modes. We define the clusters to be the “basins of attraction” of the modes, the equivalence classes of points whose ascent paths lead to the same mode.

Definition (Banyaga and Hurtubise [2004, Definition 3.17]). An *integral curve* through x is a path $\pi_x : \mathbb{R} \rightarrow \mathbb{R}^d$ such that $\pi_x(0) = x$ and

$$\frac{d}{dt}\pi_x(t) = \nabla p(\pi_x(t)). \quad (9)$$

Integral curves never intersect (except at stationary points) and they partition the space. Equation (9) means that the path π follows the direction of steepest ascent of p through x .

Definition. The destination of the integral curve π through a (non-mode) point x is defined by

$$\text{dest}(x) = \lim_{t \rightarrow \infty} \pi_x(t). \quad (10)$$

It can then be shown that Banyaga and Hurtubise [2004, Proposition 3.19] for all x , $\text{dest}(x) = m_j$ for some mode m_j . That is: all integral curves lead to modes.

Definition (Banyaga and Hurtubise [2004, Definition 4.1]). For each mode m_j , define the sets

$$\mathcal{A}_j = \left\{ x : \text{dest}(x) = m_j \right\}. \quad (11)$$

These sets are known as the *ascending manifolds*, and also known as the cluster associated with m_j , or the basin of attraction of m_j .

The \mathcal{A}_j ’s partition the space. See Figure16. The collection of ascending manifolds $\{\mathcal{A}_1, \dots, \mathcal{A}_{k_0}\}$ is called the *Morse complex*.

Given data X_1, \dots, X_n we construct an estimate \hat{p} of the density. Let $\hat{m}_1, \dots, \hat{m}_k$ be the estimated modes and let $\hat{\mathcal{A}}_1, \dots, \hat{\mathcal{A}}_k$ be the corresponding ascending manifolds derived from \hat{p} . The sample clusters C_1, \dots, C_k are defined to be $C_j = \{X_i : X_i \in \hat{\mathcal{A}}_j\}$.

Recall that the kernel density estimator is

$$\hat{p}(x) \equiv \hat{p}_h(x) = \frac{1}{n} \sum_{i=1}^n \frac{1}{h^d} K\left(\frac{x - X_i}{h}\right) \quad (12)$$

where K is a smooth, symmetric kernel and $h > 0$ is the bandwidth.¹ The mean of the estimator is

$$p_h(x) = \mathbb{E}[\hat{p}_h(x)] = \int K(t)p(x+th)dt. \quad (13)$$

To locate the modes of \hat{p}_h we use the *mean shift algorithm* Cheng [1995], Comaniciu and Meer [2002] which finds modes by approximating the steepest ascent paths. Note that starting from $a^{(0)}$, the gradient ascent algorithm for \hat{p}_h finds the next point as

$$a^{(n+1)} = a^{(n)} + \lambda \nabla \hat{p}_h(a^{(n)}) \text{ for some } \lambda > 0. \quad (14)$$

Suppose we use KDE with G , i.e., $\hat{p}_h(x) = \frac{1}{nh^d} \sum_{i=1}^n G\left(\frac{x-X_i}{h}\right)$, and let $g : \mathbb{R} \rightarrow \mathbb{R}$ be satisfying $G(x) = g\left(\|x\|^2\right)$ for all $x \in \mathbb{R}^d$. Then, $\hat{p}_h(a) = \frac{1}{nh^d} \sum_{i=1}^n g\left(\frac{\|a-X_i\|_2^2}{h^2}\right)$, and the gradient becomes

$$\begin{aligned} \nabla \hat{p}_h(a) &= \frac{1}{nh^d} \sum_{i=1}^n g' \left(\frac{\|a-X_i\|_2^2}{h^2} \right) \frac{2(a-X_i)}{h^2} \\ &= \frac{2}{nh^{d+2}} \sum_{i=1}^n g' \left(\frac{\|a-X_i\|_2^2}{h^2} \right) \left[a - \frac{\sum_{i=1}^n X_i g' \left(\frac{\|a-X_i\|_2^2}{h^2} \right)}{\sum_{i=1}^n g' \left(\frac{\|a-X_i\|_2^2}{h^2} \right)} \right]. \end{aligned}$$

Hence if the kernel function $K : \mathbb{R}^d \rightarrow \mathbb{R}$ satisfies $g'(\|x\|^2) = -cK(x)$ for some constant $c > 0$, then

$$\nabla \hat{p}_h(a) = -\frac{2c}{nh^{d+2}} \sum_{i=1}^n K\left(\frac{a-X_i}{h}\right) \left[a - \frac{\sum_{i=1}^n X_i K\left(\frac{a-X_i}{h}\right)}{\sum_{i=1}^n K\left(\frac{a-X_i}{h}\right)} \right].$$

and hence if we choose $\lambda = \left(\frac{2c}{nh^{d+2}} \sum_{i=1}^n K\left(\frac{a-X_i}{h}\right)\right)^{-1} > 0$, then the gradient ascent algorithm in (14) becomes

$$\begin{aligned} a^{(n+1)} &= a^{(n)} - \left[a^{(n)} - \frac{\sum_{i=1}^n X_i K\left(\frac{a^{(n)}-X_i}{h}\right)}{\sum_{i=1}^n K\left(\frac{a^{(n)}-X_i}{h}\right)} \right] \\ &= \frac{\sum_{i=1}^n X_i K\left(\frac{a^{(n)}-X_i}{h}\right)}{\sum_{i=1}^n K\left(\frac{a^{(n)}-X_i}{h}\right)}. \end{aligned}$$

The algorithm is given in Figure 17. The result of this process is the set of estimated modes $\hat{\mathcal{M}} = \{\hat{m}_1, \dots, \hat{m}_k\}$. We also get the clustering for free: the mean shift algorithm shows us what mode each point is attracted to. See Figure 18.

A modified version of the algorithm is the blurred mean-shift algorithm Carreira-Perpiñán [2006]. Here, we use the data as the mesh and we replace the data with the mean-shifted data at each step. This converges very quickly but must be stopped before everything converges to a single point; see Figures 19 and 20.

What we are doing is tracing out the *gradient flow*. The flow lines lead to the modes and they define the clusters. In general, a flow is a map $\phi : \mathbb{R}^d \times \mathbb{R} \rightarrow \mathbb{R}^d$ such that $\phi(x, 0) = x$ and $\phi(\phi(x, t), s) = \phi(x, s+t)$. The latter is called the semi-group property.

Choosing the Bandwidth

As usual, choosing a good bandwidth is crucial. You might wonder if increasing the bandwidth, decreases the number of modes. Silverman [1981] showed that the answer is yes if you use a Normal kernel.

Theorem (Silverman [1981, Theorem]). *Let \hat{p}_h be a kernel density estimator using a Gaussian kernel in one dimension. Then the number of modes of \hat{p}_h is a non-increasing function of h . The Gaussian kernel is the unique kernel with this property.*

¹In general, we can use a bandwidth matrix H in the estimator, with $\hat{p}(x) \equiv \hat{p}_H(x) = \frac{1}{n} \sum_{i=1}^n K_H(x - X_i)$ where $K_H(x) = |H|^{-\frac{1}{2}} K(H^{-\frac{1}{2}}x)$.

Mean Shift Algorithm

1. Input: $\hat{p}(x)$ and a mesh of points $A = \{a_1, \dots, a_N\}$ (often taken to be the data points).
2. For each mesh point a_j , set $a_j^{(0)} = a_j$ and iterate the following equation until convergence:

$$a_j^{(s+1)} \leftarrow \frac{\sum_{i=1}^n X_i K\left(\frac{a_j^{(s)} - X_i}{h}\right)}{\sum_{i=1}^n K\left(\frac{a_j^{(s)} - X_i}{h}\right)}.$$

Let $\hat{\mathcal{M}}$ be the unique values of the set $\{a_1^{(\infty)}, \dots, a_N^{(\infty)}\}$.

3. Output: $\hat{\mathcal{M}}$.

Figure 17: *The Mean Shift Algorithm.*




Figure 18: A simple example of the mean shift algorithm.




Figure 19: The crescent data example. Top left: data. Top right: a few steps of mean-shift. Bottom left: a few steps of blurred mean-shift.




Figure 20: The Broken Ring example. Top left: data. Top right: a few steps of mean-shift. Bottom left: a few steps of blurred mean-shift.

We still need a way to pick h . We can use cross-validation as before. One could argue that we should choose h so that we estimate the gradient $g(x) = \nabla p(x)$ well since the clustering is based on the gradient flow.

How can we estimate the loss of the gradient? Consider, first the scalar case. Note that

$$\int (\hat{p}' - p')^2 = \int (\hat{p}')^2 - 2 \int \hat{p}p' + \int (p')^2.$$

We can ignore the last term. The first term is known. To estimate the middle term, we use integration by parts to get

$$\int \hat{p}p' = - \int p''p$$

suggesting the cross-validation estimator

$$\int (\hat{p}'(x))^2 dx + \frac{2}{n} \sum_i \hat{p}_i''(X_i)$$

where \hat{p}_i'' is the leave-one-out second derivative. More generally, by repeated integration by parts, we can estimate the loss for the r^{th} derivative by

$$\text{CV}_r(h) = \int (\hat{p}^{(r)}(x))^2 dx - \frac{2}{n} (-1)^r \sum_i \hat{p}_i^{(2r)}(X_i).$$

Let's now discuss estimating derivatives more generally following Chacón and Duong [2011]. Let

$$\hat{p}_H(x) = \frac{1}{n} \sum_{i=1}^n K_H(x - X_i)$$

where $K_H(x) = |H|^{-1/2} K(H^{-1/2}x)$. Let $D = \partial/\partial x = (\partial/\partial x_1, \dots, \partial/\partial x_d)$ be the gradient operator. Let $H(x)$ be the Hessian of $p(x)$ whose entries are $\partial^2 p/(\partial x_j \partial x_k)$. Let

$$D^{\otimes r} p = (Dp)^{\otimes r} = \partial^r p / \partial x^{\otimes r} \in \mathbb{R}^{d^r}$$

denote the r^{th} derivatives, organized into a vector. Thus

$$D^{\otimes 0} p = p, \quad D^{\otimes 1} p = Dp, \quad D^{\otimes 2} p = \text{vec}(H)$$

where vec takes a matrix and stacks the columns into a vector.

The estimate of $D^{\otimes r}p$ is

$$\hat{p}^{(r)}(x) = D^{\otimes r}\hat{p}_H(x) = \frac{1}{n} \sum_{i=1}^n D^{\otimes r}K_H(x - X_i) = \frac{1}{n} \sum_{i=1}^n |H|^{-1/2} (H^{-1/2})^{\otimes r} D^{\otimes r}K(H^{-1/2}(x - X_i)).$$

The integrated squared error is

$$L = \int \|D^{\otimes r}\hat{p}_H(x) - D^{\otimes r}p(x)\|^2 dx.$$

Chacón et al. [2011] shows that $\mathbb{E}[L]$ is minimized by choosing H so that each entry has order $n^{-2/(d+2r+4)}$ leading to a risk of order $O(n^{-4/(d+2r+4)})$. In fact, it may be shown that

$$\begin{aligned} \mathbb{E}[L] &= \frac{1}{n} |H|^{-1/2} \text{tr}((H^{-1})^{\otimes r} R(D^{\otimes r}K)) - \frac{1}{n} \text{tr}R^*(K_H \star K_H, D^{\otimes r}p) \\ &\quad + \text{tr}R^*(K_H \star K_H, D^{\otimes r}p) - 2\text{tr}R^*(K_H, D^{\otimes r}p) + \text{tr}R(D^{\otimes r}p) \end{aligned}$$

where

$$\begin{aligned} R(g) &= \int g(x)g^T(x)dx \\ R^*(a, g) &= \int (a \star g)(x)g^T(x)dx \end{aligned}$$

and $(a \star g)$ is componentwise convolution.

To estimate the loss, we expand L as

$$L = \int \|D^{\otimes r}\hat{p}_H(x)\|^2 dx - 2 \int \langle D^{\otimes r}\hat{p}_H(x), D^{\otimes r}p(x) \rangle dx + \text{constant}.$$

Using some high-voltage calculations, Chacón and Duong [2011] derived the following leave-one-out approximation to the first two terms:

$$\text{CV}_r(H) = (-1)^r |H|^{-1/2} (\text{vec}(H^{-1})^{\otimes r})^T B(H)$$

where

$$B(H) = \frac{1}{n^2} \sum_{i,j} D^{\otimes 2r} \bar{K}(H^{-1/2}(X_i - X_j)) - \frac{2}{n(n-1)} \sum_{i \neq j} D^{\otimes 2r} K(H^{-1/2}(X_i - X_j))$$

and $\bar{K} = K \star K$. In practice, the minimization is easy if we restrict to matrices of the form $H = h^2 I$.

A better idea is to use fixed (non-decreasing h). We don't need h to go to 0 to find the clusters. More on this when we discuss persistence.

Theoretical Analysis

How well can we estimate the modes?

Theorem. *Chen et al. [2016, Theorem 1] Assume that p is Morse with finitely many modes m_1, \dots, m_k . Then for $h > 0$ and not too large, p_h is Morse with modes m_{h1}, \dots, m_{hk} and (possibly after relabelling),*

$$\max_j \|m_j - m_{jh}\| = O(h^2).$$

With probability tending to 1, \hat{p}_h has the same number of modes which we denote by $\hat{m}_{h1}, \dots, \hat{m}_{hk}$. Furthermore,

$$\max_j \|\hat{m}_{jh} - m_{jh}\| = O_P \left(\sqrt{\frac{1}{nh^{d+2}}} \right)$$

and

$$\max_j \|\hat{m}_{jh} - m_j\| = O(h^2) + O_P \left(\sqrt{\frac{1}{nh^{d+2}}} \right).$$

Remark: Setting $h \asymp n^{-1/(d+6)}$ gives the rate $n^{-2/(d+6)}$ which is minimax (Tsyabkov 1990) under smoothness assumptions. See also Romano (1988). However, if we take the fixed h point of view, then we have a $n^{-1/2}$ rate.

Proof Outline. Build a small ball B_j around each m_{jh} . We will skip the first step, which is to show that there is one (and only one) local mode in B_j . Let's focus on showing

$$\max_j \|\hat{m}_{jh} - m_{jh}\| = O_P \left(\sqrt{\frac{1}{nh^{d+2}}} \right).$$

For simplicity, write $m = m_{jh}$ and $x = \hat{m}_{jh}$. Let $g(x)$ and $H(x)$ be the gradient and Hessian of $p_h(x)$ and let $\hat{g}(x)$ and $\hat{H}(x)$ be the gradient Hessian of $\hat{p}_h(x)$. Then

$$(0, \dots, 0)^T = \hat{g}(x) = \hat{g}(m) + (x - m)^T \int_0^1 \hat{H}(m + u(x - m)) du$$

and so

$$(x - m)^T \int_0^1 \hat{H}(m + u(x - m)) du = (g(m) - \hat{g}(m))$$

where we used the fact that $0 = g(m)$. Multiplying on the right by $x - m$ we have

$$(x - m)^T \int_0^1 \hat{H}(m + u(x - m)) (x - m) du = (\hat{g}(m) - g(m))^T (x - m).$$

Let $\lambda = \inf_{0 \leq u \leq 1} \lambda_{\min}(H(m + u(x - m)))$. Then $\lambda = \lambda_{\min}(H(m)) + o_P(1)$ and

$$(x - m)^T \int_0^1 \hat{H}(m + u(x - m)) (x - m) du \geq \lambda \|x - m\|^2.$$

Hence, using Cauchy-Schwartz,

$$\lambda \|x - m\|^2 \leq \|\hat{g}(m) - g(m)\| \|x - m\| \leq \|x - m\| \sup_y \|\hat{g}(y) - g(y)\| \leq \|x - m\| O_P \left(\sqrt{\frac{1}{nh^{d+2}}} \right)$$

and so $\|x - m\| = O_P \left(\sqrt{\frac{1}{nh^{d+2}}} \right)$. \square

Remark: If we treat h as fixed (not decreasing) then the rate is $O_P(\sqrt{1/n})$ independent of dimension.

5 Density-Based Clustering (밀도 기반 군집) II: Level Set Clustering

Let p be the density of the data. Let $L_t = \{x : p_h(x) > t\}$ denote an upper level set of p . Suppose that L_t can be decomposed into finitely many disjoint sets: $L_t = C_1 \cup \dots \cup C_{k_t}$. We call $\mathcal{C}_t = \{C_1, \dots, C_{k_t}\}$ the level set clusters at level t .

Let $\mathcal{C} = \bigcup_{t \geq 0} \mathcal{C}_t$. The clusters in \mathcal{C} form a tree: if $A, B \in \mathcal{C}$, then either (i) $A \subset B$ or (ii) $B \subset A$ or (iii) $A \cap B = \emptyset$. We call \mathcal{C} the *level set cluster tree*.

The level sets can be estimated in the obvious way: $\hat{L}_t = \{x : \hat{p}_h(x) > t\}$. How do we decompose \hat{L}_t into its connected components? This can be done as follows. For each t let

$$\mathcal{X}_t = \{X_i : \hat{p}_h(X_i) > t\}.$$

Now construct a graph G_t where each $X_i \in \mathcal{X}_t$ is a vertex and there is an edge between X_i and X_j if and only if $\|X_i - X_j\| \leq \epsilon$ where $\epsilon > 0$ is a tuning parameter. Bobrowski et al (2014) show that we can take $\epsilon = h$. G_t is called a Rips graph. The clusters at level t are estimated by taking the connected components of the graph G_t . In summary:

- Compute \hat{p}_h .
- For each t , let $\mathcal{X}_t = \{X_i : \hat{p}_h(X_i) > t\}$.
- Form a graph G_t for the points in \mathcal{X}_t by connecting X_i and X_j if $\|X_i - X_j\| \leq h$.




Figure 21: DeBaClR in two dimensions.




Figure 22: DeBaClR in three dimensions.

- The clusters at level t are the connected components of G_t .

A Python package, called DeBaCl, written by Brian Kent, can be found at

<https://github.com/bpkent/DeBaCl/>.

Fabrizio Lecci has written an R implementation, include in his R package: TDA (topological data analysis). You can get it at:

<http://cran.r-project.org/web/packages/TDA/index.html>

Two examples are shown in Figures 21 and 22.

Theory

How well does this work? Define the Hausdorff distance between two sets by

$$H(U, V) = \inf \left\{ \epsilon : U \subset V \oplus \epsilon \text{ and } V \subset U \oplus \epsilon \right\}$$

where

$$V \oplus \epsilon = \bigcup_{x \in V} B(x, \epsilon)$$

and $B(x, \epsilon)$ denotes a ball of radius ϵ centered at x . We would like to say that L_t and \hat{L}_t are close. In general this is not true. Sometimes L_t and $L_{t+\delta}$ are drastically different even for small δ . (Think of the case where a mode has height t .) But we can estimate stable level sets. Let us say that L_t is stable if there exists $a > 0$ and $C > 0$ such that, for all $\delta < a$,

$$H(L_{t-\delta}, L_{t+\delta}) \leq C\delta.$$

Theorem. *Suppose that L_t is stable. Then $H(\hat{L}_t, L_t) = O_P(\sqrt{\log n / (nh^d)})$.*

Proof. Let $r_n = \sqrt{\log n / (nh^d)}$. We need to show two things: (i) for every $x \in L_t$ there exists $y \in \hat{L}_t$ such that $\|x - y\| = O_P(r_n)$ and (ii) for every $x \in \hat{L}_t$ there exists $y \in L_t$ such that $\|x - y\| = O_P(r_n)$. First, we note that, by earlier results, $\|\hat{p}_h - p_h\|_\infty = O_P(r_n)$. To show (i), suppose that $x \in L_t$. By the stability assumption, there exists $y \in L_{t+r_n}$ such that $\|x - y\| \leq Cr_n$. Then $p_h(y) > t + r_n$ which implies that $\hat{p}_h(y) > t$ and so $y \in \hat{L}_t$. To show (ii), let $x \in \hat{L}_t$ so that $\hat{p}_h(x) > t$. Thus $p_h(x) > t - r_n$. By stability, there is a $y \in L_t$ such that $\|x - y\| \leq Cr_n$. \square

Cluster Tree with multi-scale

Another way to measure the consistency of the cluster tree is through multi-scale approach, that is, we look at the connected components $\mathcal{C}_t = \{C_1, \dots, C_{k_t}\}$ of a level set L_t for different values $t \in [0, \infty)$ simultaneously.

Definition. Kim et al. [2017, Definition 1] For a density function p , its cluster tree $T_p : \mathbb{R} \rightarrow \mathcal{P}(\mathcal{X})$ is a function where $T_p(\lambda)$ is the set of connected components of the upper level set $\{x \in \mathcal{X} : p(x) \geq \lambda\}$. See Figure 23.

For measuring a distance between trees that reflects multi-scale structure, we use l_∞ metric.

Definition. Kim et al. [2017] The l_∞ metric between trees are defined as $d_\infty(T_p, T_q) = \|p - q\|_\infty$.

With this metric, we make a confidence set for the cluster tree. Recall that an asymptotic $1 - \alpha$ confidence set \hat{C}_α is a collection of trees with the property that

$$P(T_p \in \hat{C}_\alpha) = 1 - \alpha + o(1).$$

We let $T_{\hat{p}_h}$ be the cluster tree from the kernel density estimator \hat{p}_h , where

$$\hat{p}_h(x) = \frac{1}{nh^d} \sum_{i=1}^n K\left(\frac{x - X_i}{h}\right),$$

and the confidence set as the ball centered at $T_{\hat{p}_h}$ and radius ϵ_α , i.e.

$$\hat{C}_\alpha = \{T : d_\infty(T, T_{\hat{p}_h}) \leq \epsilon_\alpha\}, \quad (15)$$

where ϵ_α is the bootstrap quantile defined by

$$\epsilon_\alpha = \inf \left\{ z : \frac{1}{B} \sum_{b=1}^B I\left(\|\hat{p}_h^{*b} - \hat{p}_h\|_\infty > z\right) \leq \alpha \right\}. \quad (16)$$

Here, \hat{p}_h^{*b} is the density estimator based on the b^{th} bootstrap sample.

Theorem. Kim et al. [2017, Theorem 3] Under minor conditions on the kernel, above confidence set \hat{C}_α in (15) satisfies

$$P\left(T_h \in \hat{C}_\alpha\right) = 1 - \alpha + O\left(\left(\frac{\log^7 n}{nh^d}\right)^{1/6}\right).$$




Figure 23: Cluster tree.




Figure 24: Starting at the top of the density and moving down, each mode has a birth time b and a death time d . The persistence diagram (right) plots the points $(d_1, b_1), \dots, (d_4, b_4)$. Modes with a long lifetime are far from the diagonal.

Persistence

Consider a smooth density p with $M = \sup_x p(x) < \infty$. The t -level set clusters are the connected components of the set $L_t = \{x : p(x) \geq t\}$. Suppose we find the upper level sets $L_t = \{x : p(x) \geq t\}$ as we vary t from M to 0. *Persistent homology* measures how the topology of L_t varies as we decrease t . In our case, we are only interested in the modes, which correspond to the zeroth order homology. (Higher order homology refers to holes, tunnels etc.) The idea of using persistence to study clustering was introduced by Chazal et al. [2013].

Imagine setting $t = M$ and then gradually decreasing t . Whenever we hit a mode, a new level set cluster is born. As we decrease t further, some clusters may merge and we say that one of the clusters (the one born most recently) has died. See Figure 24.

In summary, each mode m_j has a death time and a birth time denoted by (d_j, b_j) . (Note that the birth time is larger than the death time because we start at high density and move to lower density.) The modes can be summarized with a persistence diagram where we plot the points $(d_1, b_1), \dots, (d_k, b_k)$ in the plane. See Figure 24. Points near the diagonal correspond to modes with short lifetimes. We might kill modes with lifetimes smaller than ϵ_α in (16). This corresponds to killing a mode if it is in a $2\epsilon_\alpha$ band around the diagonal. See Fasy et al. [2014]. Note that the starting and ending points of the vertical bars on the level set tree are precisely the coordinates of the persistence diagram. (A more precise bootstrap approach was introduced in Chazal et al. [2017].)

6 Hierarchical Clustering (계층적 군집)

Hierarchical clustering (계층적 군집) methods build a set of nested clusters at different resolutions. There are two types of hierarchical clustering: agglomerative (bottom-up) and divisive (top-down). With agglomerative clustering we start with some distance or dissimilarity $d(x, y)$ between points. We then extend this distance so that we can compute the distance $d(A, B)$ between two sets of points A and B .

The three most common ways of extending the distance are:

Single Linkage	$d(A, B) = \min_{x \in A, y \in B} d(x, y)$
Average Linkage	$d(A, B) = \frac{1}{N_A N_B} \sum_{x \in A, y \in B} d(x, y)$
Complete Linkage	$d(A, B) = \max_{x \in A, y \in B} d(x, y)$




Figure 25: Hierarchical clustering applied to two noisy rings. Top left: the data. Top right: two clusters from hierarchical clustering using single linkage. Bottom left: average linkage. Bottom right: complete linkage.

The algorithm is:

1. Input: data $X = \{X_1, \dots, X_n\}$ and metric d giving distance between clusters.
2. Let $T_n = \{C_1, C_2, \dots, C_n\}$ where $C_i = \{X_i\}$.
3. For $j = n - 1$ to 1:
 - (a) Find j, k to minimize $d(C_j, C_k)$ over all $C_j, C_k \in T_{j+1}$.
 - (b) Let T_j be the same as T_{j+1} except that C_j and C_k are replaced with $C_j \cup C_k$.
4. Return the sets of clusters T_1, \dots, T_n .

The result can be represented as a tree, called a dendrogram. We can then cut the tree at different places to yield any number of clusters ranging from 1 to n . Single linkage often produces thin clusters while complete linkage is better at rounder clusters. Average linkage is in between.

Example. Figure 25 shows agglomerative clustering applied to data generated from two rings plus noise. The noise is large enough so that the smaller ring looks like a blob. The data are shown in the top left plot. The top right plot shows hierarchical clustering using single linkage. (The tree is cut to obtain two clusters.) The bottom left plot shows average linkage and the bottom right plot shows complete linkage. Single linkage works well while average and complete linkage do poorly.

Let us now mention some theoretical properties of hierarchical clustering. Suppose that X_1, \dots, X_n is a sample from a distribution P on \mathbb{R}^d with density p . A high density cluster is a maximal connected component of a set of the form $\{x : p(x) \geq \lambda\}$. One might expect that single linkage clusters would correspond to high density clusters. This turns out not quite to be the case. See Hartigan [1981] for details. DasGupta (2010) has a modified version of hierarchical clustering that attempts to fix this problem. His method is very similar to density clustering.

Single linkage hierarchical clustering is the same as *geometric graph clustering*. Let $G = (V, E)$ be a graph where $V = \{X_1, \dots, X_n\}$ and $E_{ij} = 1$ if $\|X_i - X_j\| \leq \epsilon$ and $E_{ij} = 0$ if $\|X_i - X_j\| > \epsilon$. Let C_1, \dots, C_k denote the connected components of the graph. As we vary ϵ we get exactly the hierarchical clustering tree.

Finally, let us mention divisive clustering. This is a form of hierarchical clustering where we start with one large cluster and then break the cluster recursively into smaller and smaller pieces.

7 Spectral Clustering (스펙트럼 군집)

Spectral clustering (스펙트럼 군집) refers to a class of clustering methods that use ideas related to eigenvector. An excellent tutorial on spectral clustering is von Luxburg [2007] and some of this section relies heavily on that paper. More detail can be found in Chung (1997).

Let G be an undirected graph with n vertices. Typically these vertices correspond to observations X_1, \dots, X_n . Let W be an $n \times n$ symmetric weight matrix. Say that X_i and X_j are connected if $W_{ij} > 0$. The simplest type of weight matrix has entries that are either 0 or 1. For example, we could define

$$W_{ij} = I(\|X_i - X_j\| \leq \epsilon).$$

An example of a more general weight matrix is $W_{ij} = e^{-\|X_i - X_j\|^2 / (2h^2)}$.

The degree matrix D is the $n \times n$ diagonal matrix with $D_{ii} = \sum_{j=1}^n W_{ij}$. The graph Laplacian is

$$L = D - W.$$

The graph Laplacian has many interesting properties which we list in the following result. Recall that a vector v is an eigenvector of L if there is a scalar λ such that $Lv = \lambda v$ in which case we say that λ is the eigenvalue corresponding to v . Let $\mathcal{L}(v) = \{cv : c \in \mathbb{R}, c \neq 0\}$ be the linear space generated by v . If v is an eigenvector with eigenvalue λ and c is any nonzero constant, then cv is an eigenvector with eigenvalue $c\lambda$. These eigenvectors are considered equivalent. In other words, $\mathcal{L}(v)$ is the set of vectors that are equivalent to v .

Theorem. *The graph Laplacian L has the following properties:*

1. For any vector $f = (f_1, \dots, f_n)^T$,

$$f^T L f = \frac{1}{2} \sum_{i=1}^n \sum_{j=1}^n W_{ij} (f_i - f_j)^2.$$

2. L is symmetric and positive semi-definite.

3. The smallest eigenvalue of L is 0. The corresponding eigenvector is $(1, 1, \dots, 1)^T$.

4. L has n non-negative, real-valued eigenvalues $0 = \lambda_1 \leq \lambda_2 \leq \dots \leq \lambda_k$.

5. The number of eigenvalues that are equal to 0 is equal to the number of connected components of G . That is, $0 = \lambda_1 = \dots = \lambda_k$ where k is the number of connected components of G . The corresponding eigenvectors v_1, \dots, v_k are orthogonal and each is constant over one of the connected components of the graph.

Part 1 of the theorem says that L is like a derivative operator. The last part shows that we can use the graph Laplacian to find the connected components of the graph.

Proof. (1) This follows from direct algebra.

(2) Since W and D are symmetric, it follows that L is symmetric. The fact that L is positive semi-definite follows from part (1).

(3) Let $v = (1, \dots, 1)^T$. Then

$$Lv = Dv - Wv = \begin{pmatrix} D_{11} \\ \vdots \\ D_{nn} \end{pmatrix} - \begin{pmatrix} D_{11} \\ \vdots \\ D_{nn} \end{pmatrix} = \begin{pmatrix} 0 \\ \vdots \\ 0 \end{pmatrix}$$

which equals $0 \times v$.

(4) This follows from parts (1)-(3).

(5) First suppose that $k = 1$ and thus that the graph is fully connected. We already know that $\lambda_1 = 0$ and $v_1 = (1, \dots, 1)^T$. Suppose there were another eigenvector v with eigenvalue 0. Then

$$0 = v^T L v = \sum_{i=1}^n \sum_{j=1}^n W_{ij} (v(i) - v(j))^2.$$

It follows that $W_{ij}(v(i) - v(j))^2 = 0$ for all i and j . Since G is fully connected, all $W_{ij} > 0$. Hence, $v(i) = v(j)$ for all i, j and so v is constant and thus $v \in \mathcal{L}(v_1)$.

Now suppose that K has k components. Let n_j be the number of nodes in components j . We can relabel the vertices so that the first n_1 nodes correspond to the first connected component, the second n_2 nodes correspond to the second connected component and so on. Let $v_1 = (1, \dots, 1, 0, \dots, 0)$ where the 1's correspond to the first component. Let $v_2 = (0, \dots, 0, 1, \dots, 1, 0, \dots, 0)$ where the 1's correspond to the second component. Define v_3, \dots, v_k similarly. Due to the re-ordering of the vertices, L has block diagonal form:

$$L = \begin{pmatrix} L_1 & & & \\ & L_2 & & \\ & & \ddots & \\ & & & L_k \end{pmatrix}.$$

Here, each L_i corresponds to one of the connected components of the graph. It is easy to see that $LV - j = 0$ for $j = 1, \dots, k$. Thus, each v_j , for $j = 1, \dots, k$ is an eigenvector with zero eigenvalue. Suppose that v is any eigenvector with 0 eigenvalue. Arguing as before, v must be constant over some component and 0 elsewhere. Hence, $v \in \mathcal{L}(v_j)$ for some $1 \leq j \leq k$. \square

Example. Consider the graph

$$X_1 \text{ --- } X_2 \quad X_3 \text{ --- } X_4 \text{ --- } X_5$$

and suppose that $W_{ij} = 1$ if and only if there is an edge between X_i and X_j . Then

$$W = \begin{pmatrix} 0 & 1 & 0 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 & 1 \\ 0 & 0 & 0 & 1 & 0 \end{pmatrix} \quad D = \begin{pmatrix} 1 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 2 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{pmatrix}$$

and the Laplacian is

$$L = D - W = \begin{pmatrix} 1 & -1 & 0 & 0 & 0 \\ -1 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 \\ 0 & 0 & -1 & 2 & -1 \\ 0 & 0 & 0 & -1 & 0 \end{pmatrix}.$$

The eigenvalues of W , from smallest to largest are 0, 0, 1, 2, 3. The eigenvectors are

$$v_1 = \begin{pmatrix} 1 \\ 1 \\ 0 \\ 0 \\ 0 \end{pmatrix} \quad v_2 = \begin{pmatrix} 0 \\ 0 \\ 1 \\ 1 \\ 1 \end{pmatrix} \quad v_3 = \begin{pmatrix} 0 \\ 0 \\ -.71 \\ 0 \\ .71 \end{pmatrix} \quad v_4 = \begin{pmatrix} -.71 \\ .71 \\ 0 \\ 0 \\ 0 \end{pmatrix} \quad v_5 = \begin{pmatrix} 0 \\ 0 \\ -.41 \\ .82 \\ -.41 \end{pmatrix}$$

Note that the first two eigenvectors correspond to the connected components of the graph.

Note $f^T L f$ measures the smoothness of f relative to the graph. This means that the higher order eigenvectors generate a basis where the first few basis elements are smooth (with respect to the graph) and the later basis elements become more wiggly.

Example. Figure 26 shows a graph and the corresponding eigenvectors. The two eigenvectors correspond to the connected components of the graph. The other eigenvectors can be thought of as forming bases vectors within the connected components.

One approach to spectral clustering is to set

$$W_{ij} = I(\|X_i - X_j\| \leq \epsilon)$$

for some $\epsilon > 0$ and then take the clusters to be the connected components of the graph which can be found by getting the eigenvectors of the Laplacian L . This is exactly equivalent to geometric graph clustering. In this case we




Figure 26: The top shows a simple graph. The remaining plots are the eigenvectors of the graph Laplacian. Note that the first two eigenvectors correspond to the two connected components of the graph.

have gained nothing except that we have a new algorithm to find the connected components of the graph. However, there are other ways to use spectral methods for clustering as we now explain.

The idea underlying the other spectral methods is to use the Laplacian to transform the data into a new coordinate system in which clusters are easier to find. For this purpose, one typically uses a modified form of the graph Laplacian. The most commonly used weights for this purpose are

$$W_{ij} = e^{-\|X_i - X_j\|^2 / (2h^2)}.$$

Other kernels $K_h(X_i, X_j)$ can be used as well. We define the symmetrized Laplacian $\mathcal{L} = D^{-1/2}WD^{-1/2}$ and the random walk Laplacian $\mathcal{L} = D^{-1}W$. (We will explain the name shortly.) These are very similar and we will focus on the latter. Some authors define the random walk Laplacian to be $I - D^{-1}W$. We prefer to use the definition $\mathcal{L} = D^{-1}W$ because, as we shall see, it has a nice interpretation. The eigenvectors of $I - D^{-1}W$ and $D^{-1}W$ are the same so it makes little difference which definition is used. The main difference is that the connected components have eigenvalues 1 instead of 0.

Lemma. *Let L be the graph Laplacian of a graph G and let \mathcal{L} be the random walk Laplacian.*

1. λ is an eigenvalue of \mathcal{L} with eigenvector v if and only if $Lv = (1 - \lambda)Dv$.
2. 1 is an eigenvalue of \mathcal{L} with eigenvector $(1, \dots, 1)^T$.
3. \mathcal{L} is positive semidefinite with n non-negative real-valued eigenvalues.
4. The number of eigenvalues of \mathcal{L} equal to 1 equals the number of connected components of G . Let v_1, \dots, v_k denote the eigenvectors with eigenvalues equal to 1. The linear space spanned by v_1, \dots, v_k is spanned by the indicator functions of the connected components.

Let $\lambda_1 \geq \lambda_2 \geq \dots \geq \lambda_n$ be the eigenvalues of \mathcal{L} with eigenvectors v_1, \dots, v_n . Define

$$Z_i \equiv T(X_i) = \sum_{j=1}^r \sqrt{\lambda_j} v_j(i).$$

The mapping $T : X \rightarrow Z$ transforms the data into a new coordinate system. The numbers h and r are tuning parameters. The hope is that clusters are easier to find in the new parameterization.

To get some intuition for this, note that \mathcal{L} has a nice probabilistic interpretation (Coifman, Lafon, Lee 2006). Consider a Markov chain on X_1, \dots, X_n where we jump from X_i to X_j with probability

$$\mathbb{P}(X_i \rightarrow X_j) = \mathcal{L}(i, j) = \frac{K_h(X_i, X_j)}{\sum_s K_h(X_s, X_j)}.$$

The Laplacian $\mathcal{L}(i, j)$ captures how easy it is to move from X_i to X_j . If Z_i and Z_j are close in Euclidean distance, then they are connected by many high density paths through the data. This Markov chain is a discrete version of a continuous Markov chain with transition probability:

$$P(x \rightarrow A) = \frac{\int_A K_h(x, y) dP(y)}{\int K_h(x, y) dP(y)}.$$

The corresponding averaging operator $\hat{A} : f \rightarrow \tilde{f}$ is

$$(\hat{A}f)(i) = \frac{\sum_j f(j) K_h(X_i, X_j)}{\sum_j K_h(X_i, X_j)}$$

which is an estimate of $A : f \rightarrow \tilde{f}$ where

$$Af = \frac{\int_A f(y) K_h(x, y) dP(y)}{\int K_h(x, y) dP(y)}.$$

The lower order eigenvectors of \mathcal{L} are vectors that are smooth relative to P . Thus, projecting onto the first few eigenvectors parameterizes in terms of closeness with respect to the underlying density.

The steps are:

Input: $n \times n$ similarity matrix W .

1. Let D be the $n \times n$ diagonal matrix with $D_{ii} = \sum_j W_{ij}$.
2. Compute the Laplacian $\mathcal{L} = D^{-1}W$.
3. Find first k eigenvectors v_1, \dots, v_k of \mathcal{L} .
4. Project each X_i onto the eigenvectors to get new points \hat{X}_i .
5. Cluster the points $\hat{X}_1, \dots, \hat{X}_n$ using any standard clustering algorithm.

There is another way to think about spectral clustering. Spectral methods are similar to multidimensional scaling. However, multidimensional scaling attempts to reduce dimension while preserving all pairwise distances. Spectral methods attempt instead to preserve local distances.

Example. Figure 27 shows a simple synthetic example. The top left plot shows the data. We apply spectral clustering with Gaussian weights and bandwidth $h = 3$. The top middle plot shows the first 20 eigenvalues. The top right plot shows the first versus the second eigenvector. The two clusters are clearly separated. (Because the clusters are so separated, the graph is essentially disconnected and the first eigenvector is not constant. For large h , the graph becomes fully connected and v_1 is then constant.) The remaining six plots show the first six eigenvectors. We see that they form a Fourier-like basis within each cluster. Of course, single linkage clustering would work just as well with the original data as in the transformed data. The real advantage would come if the original data were high dimensional.

Example. Figure 28 shows a spectral analysis of some zipcode data. Each datapoint is a 16×16 image of a handwritten number. We restrict ourselves to the digits 1, 2 and 3. We use Gaussian weights and the top plots correspond to $h = 6$ while the bottom plots correspond to $h = 4$. The left plots show the first 20 eigenvalues. The right plots show a scatterplot of the second versus the third eigenvector. The three colors correspond to the three digits. We see that with a good choice of h , namely $h = 6$, we can clearly see the digits in the plot. The original dimension of the problem is $16 \times 16 = 256$. That is, each image can be represented by a point in \mathbb{R}^{256} . However, the spectral method shows that most of the information is captured by two eigenvectors so the effective dimension is 2. This example also shows that the choice of h is crucial.

Spectral methods are interesting. However, there are some open questions:

1. There are tuning parameters (such as h) and the results are sensitive to these parameters. How do we choose these tuning parameters?
2. Does spectral clustering perform better than density clustering?

8 High-Dimensional Clustering (고차원 군집)

As usual, interesting and unexpected things happen in high dimensions. The usual methods may break down and even the meaning of a cluster may not be clear.

8.1 High Dimensional Behavior

I'll begin by discussing some recent results from Sarkar and Ghosh [2020]. Suppose we have data coming from k distributions P_1, \dots, P_k . Let μ_r be the mean of P_r and Σ_r be the covariance matrix. Most clustering methods depend on the pairwise distances $\|X_i - X_j\|^2$. Now,

$$\|X_i - X_j\|^2 = \sum_{a=1}^d \delta(a)$$

where $\delta_a = (X_i(a) - X_j(a))^2$. This is a sum. As d increases, by the law of large numbers we might expect this sum to converge to a number (assuming the features are not too dependent). Indeed, suppose that X is from P_r and Y is from P_s then

$$\frac{1}{\sqrt{d}} \|X - Y\| \xrightarrow{P} \sqrt{\sigma_r^2 + \sigma_s^2 + \nu_{rs}}$$




Figure 27: Top left: data. Top middle: eigenvalues. Top right: second versus third eigenvectors. Remaining plots: first six eigenvectors.




Figure 28: Spectral analysis of some zipcode data. Top: $h = 6$. Bottom: $h = 4$. The plots on the right show the second versus third eigenvector. The three colors correspond to the three digits 1, 2 and 3.

where

$$\nu_{rs} = \lim_{d \rightarrow \infty} \frac{1}{d} \sum_{a=1}^d \|\mu_r(a) - \mu_s(a)\|^2$$

and

$$\sigma_r^2 = \lim_{d \rightarrow \infty} \frac{1}{d} \text{trace}(\Sigma_r).$$

Note that $\nu_{rr} = 0$.

Consider two clusters, C_1 and C_2 :

X	Y	$\ X - Y\ $
$X \in C_1$	$Y \in C_1$	$\ X - Y\ = 2\sigma_1^2$
$X \in C_2$	$Y \in C_2$	$\ X - Y\ = 2\sigma_2^2$
$X \in C_1$	$Y \in C_2$	$\ X - Y\ = \sigma_1^2 + \sigma_2^2 + \nu_{12}$

If

$$\sigma_1^2 + \nu_{12} < \sigma_2^2$$

then **every point in cluster 2 is closer to a point in cluster 1 than to other points in cluster 2**. Indeed, if you simulate high dimensional Gaussians, you will see that all the standard clustering methods fail terribly.

What's really going on is that high dimensional data tend to cluster on rings. Pairwise distance methods don't respect rings.

An interesting fix suggested by Sarkar and Ghosh is to use the mean absolute difference distance (MADD) defined by

$$\rho(x, y) = \frac{1}{n-2} \sum_{z \neq x, y} \left| \|x - z\| - \|y - z\| \right|.$$

Suppose that $X \sim P_r$ and $Y \sim P_s$. They show that $\rho(X, Y) \xrightarrow{P} c_{rs}$ where $c_{rs} \geq 0$ and $c_{rs} = 0$ if and only if $\sigma_r^2 = \sigma_s^2$ and $\nu_{br} = \nu_{bs}$ for all b . What this means is that pairwise distance methods only work if $\nu_{rs} > |\sigma_r^2 - \sigma_s^2|$ but MADD works if either $\nu_{rs} \neq 0$ or $\sigma_r \neq \sigma_s$.

Pairwise distances only use information about two moments and they combine this moment information in a particular way. MADD combines the moment information in a different and more effective way. One could also invent other measures that separate mean and variance information or that use higher moment information.

8.2 Variable Selection

If $X \in \mathbb{R}^d$ is high dimensional, then it makes sense to do variable selection before clustering. There are a number of methods for doing this. But, frankly, none are very convincing. This is, in my opinion, an open problem. Here are a couple of possibilities.

Marginal Selection (Screening). In marginal selection, we look for variables that marginally look ‘clustery.’ This idea was used in Chan and Hall (2010) and Wasserman, Azizyan and Singh (2014). We proceed as follows:

Test For Multi-Modality	
1.	Fix $0 < \alpha < 1$. Let $\tilde{\alpha} = \alpha/(nd)$.
2.	For each $1 \leq j \leq d$, compute $T_j = \text{Dip}(F_{nj})$ where F_{nj} is the empirical distribution function of the j^{th} feature and $\text{Dip}(F)$ is defined in (17).
3.	Reject the null hypothesis that feature j is not multimodal if $T_j > c_{n,\tilde{\alpha}}$ where $c_{n,\tilde{\alpha}}$ is the critical value for the dip test.

Any test of multimodality may be used. Here we describe the *dip test* (Hartigan and Hartigan, 1985). Let $Z_1, \dots, Z_n \in [0, 1]$ be a sample from a distribution F . We want to test “ $H_0 : F$ is unimodal” versus “ $H_1 : F$ is not unimodal.” Let \mathcal{U} be the set of unimodal distributions. Hartigan and Hartigan (1985) define

$$\text{Dip}(F) = \inf_{G \in \mathcal{U}} \sup_x |F(x) - G(x)|. \quad (17)$$

If F has a density p we also write $\text{Dip}(F)$ as $\text{Dip}(p)$. Let F_n be the empirical distribution function. The dip statistic is $T_n = \text{Dip}(F_n)$. The dip test rejects H_0 if $T_n > c_{n,\alpha}$ where the critical value $c_{n,\alpha}$ is chosen so that, under H_0 , $\mathbb{P}(T_n > c_{n,\alpha}) \leq \alpha$.²

Since we are conducting multiple tests, we cannot test at a fixed error rate α . Instead, we replace α with $\tilde{\alpha} = \alpha/(nd)$. That is, we test each marginal and we reject H_0 if $T_n > c_{n,\tilde{\alpha}}$. By the union bound, the chance of at least one false rejection of H_0 is at most $d\tilde{\alpha} = \alpha/n$.

There are more refined tests such as the excess mass test given in Chan and Hall (2010), building on work by Muller and Sawitzki (1991). For simplicity, we use the dip test in this paper; a fast implementation of the test is available in R.

Marginal selection can obviously fail. See Figure 29 taken from Wasserman, Azizyan and Singh (2014).

Sparse k -means. Here we discuss the approach in Witten and Tibshirani (2010). Recall that in k -means clustering we choose $C = \{c_1, \dots, c_k\}$ to minimize

$$R_n(C) = \frac{1}{n} \sum_{i=1}^n \|X_i - \Pi_C[X_i]\|^2 = \frac{1}{n} \sum_{i=1}^n \min_{1 \leq j \leq k} \|X_i - c_j\|^2. \quad (18)$$

This is equivalent to minimizing the within sums of squares

$$\sum_{j=1}^k \frac{1}{n_j} \sum_{s,t \in A_j} d^2(X_s, X_t) \quad (19)$$

where A_j is the j^{th} cluster and $d^2(x, y) = \sum_{r=1}^d (x(r) - y(r))^2$ is squared Euclidean distance. Further, this is equivalent to maximizing the between sums of squares

$$B = \frac{1}{n} \sum_{s,t} d^2(X_s, X_t) - \sum_{j=1}^k \frac{1}{n_j} \sum_{s,t \in A_j} d^2(X_s, X_t). \quad (20)$$

²Specifically, $c_{n,\alpha}$ can be defined by $\sup_{G \in \mathcal{U}} P_G(T_n > c_{n,\alpha}) = \alpha$. In practice, $c_{n,\alpha}$ can be defined by $P_U(T_n > c_{n,\alpha}) = \alpha$ where U is $\text{Unif}(0,1)$. Hartigan and Hartigan (1985) suggest that this suffices asymptotically.




Figure 29: Three examples, each showing two clusters and two features $X(1)$ and $X(2)$. The top plots show the clusters. The bottom plots show the marginal density of $X(1)$. Left: The marginal fails to reveal any clustering structure. This example violates the marginal signature assumption. Middle: The marginal is multimodal and hence correctly identifies $X(1)$ as a relevant feature. This example satisfies the marginal signature assumption. Right: In this case, $X(1)$ is relevant but $X(2)$ is not. Despite the fact that the clusters are close together, the marginal is multimodal and hence correctly identifies $X(1)$ as a relevant feature. This example satisfies the marginal signature assumption. (Figure from Wasserman, Azizyan and Singh, 2014).

Witten and Tibshirani propose replace the Euclidean norm with the weighted norm $d_w^2(x, y) = \sum_{r=1}^d w_r(x(r) - y(r))^2$. Then they propose to maximize

$$B = \frac{1}{n} \sum_{s,t} d_w^2(X_s, X_t) - \sum_{j=1}^k \frac{1}{n_j} \sum_{s,t \in A_j} d_w^2(X_s, X_t) \quad (21)$$

over C and w subject to the constraints

$$\|w\|^2 \leq 1, \quad \|w\|_1 \leq s, \quad w_j \geq 0$$

where $w = (w_1, \dots, w_d)$. The optimization is done iteratively by optimizing over C , optimizing over w and repeating. See Figure 30.

The ℓ_1 norm on the weights causes some of the components of w to be 0 which results in variable selection. There is no theory that shows that this method works.

Sparse Alternate Sum Clustering. ? introduced a method called SAS (Sparse Alternate Sum) clustering. It is very simple and intuitively appealing.

Recall that k -means minimizes

$$\sum_j \frac{1}{|C_j|} \sum_{i,j \in C_j} \|X_i - X_j\|^2.$$

Suppose we want a clustering based on a subset of features S such that $|S| = L$. Let $\delta_a(i, j) = (X_i(a) - X_j(a))^2$ be the pairwise distance for the a^{th} feature. Assume that each feature has been standardized so that

$$\sum_{i,j} \delta_a(i, j) = 1$$

for all a . Define $\delta_S(i, j) = \sum_{a \in S} \delta_a(i, j)$. Then we can say that the goal of sparse clustering is to minimize

$$\sum_j \frac{1}{|C_j|} \sum_{i,j \in C_j} \delta_S(i, j)$$

over clusterings and subsets. They propose to minimize by alternating between finding clusters and finding subsets. The former is the usual k -means. The latter is trivial because δ_S decomposes into marginal components. Arias-Castro and Pu also suggest a permutation method for choosing the size of S . Their numerical experiments are very promising. Currently, no theory has been developed for this approach.

1. Input X_1, \dots, X_n and k .
2. Set $w = (w_1, \dots, w_d)$ where $w_1 = \dots = w_d = 1/\sqrt{d}$.
3. Iterate until convergence:
 - (a) Optimize (20) over C holding w fixed. Find c_1, \dots, c_k from the k -means algorithm using distance $d_w(X_i, X_j)$. Let A_j denote the j^{th} cluster.
 - (b) Optimize (20) over w holding c_1, \dots, c_k fixed. The solution is

$$w_r = \frac{s_r}{\sqrt{\sum_{t=1}^d s_t^2}}$$

where

$$s_r = (a_r - \Delta)_+,$$

$$a_r = \left[\frac{1}{n} \sum_{s,t} w_r (X_s(r) - X_t(r))^2 - \sum_{j=1}^k \frac{1}{n_j} \sum_{s,t \in A_j} w_r (X_s(r) - X_t(r))^2 \right]_+$$

and $\Delta = 0$ if $\|w\|_1 < s$ otherwise $\Delta > 0$ is chosen so that $\|w\|_1 = s$.

Figure 30: The Witten-Tibshirani Sparse k -means Method

8.3 Mosaics

A different idea is to create a partition of features and observations which I like to call a *mosaic*. There are papers that cluster features and observations simultaneously but clear theory is still lacking.

9 Examples

Example. Figures 1 and 2 shows some synthetic examples where the clusters are meant to be intuitively clear. In Figure 1 there are two blob-like clusters. Identifying clusters like this is easy. Figure 2 shows four clusters: a blob, two rings and a half ring. Identifying clusters with unusual shapes like this is not quite as easy. To the human eye, these certainly look like clusters. But what makes them clusters?

Example (Gene Clustering). In genomic studies, it is common to measure the expression levels of d genes on n people using microarrays (or gene chips). The data (after much simplification) can be represented as an $n \times d$ matrix X where X_{ij} is the expression level of gene j for subject i . Typically d is much larger than n . For example, we might have $d \approx 5,000$ and $n \approx 50$. Clustering can be done on genes or subjects. To find groups of similar people, regard each row as a data vector so we have n vectors X_1, \dots, X_n each of length d . Clustering can then be used to place the subjects into similar groups.

Example (Curve Clustering). Sometimes the data consist of a set of curves f_1, \dots, f_n and the goal is to cluster similarly shaped clusters together. For example, Figure 31 shows a small sample of curves from a dataset of 472 curves from Frappart (2003). Each curve is a radar waveform from the Topex/Poseidon satellite which used to map the surface topography of the oceans.³ One question is whether the 472 curves can be put into groups of similar shape.

Example (Supernova Clustering). Figure 32 shows another example of curve clustering. Briefly, each data point is a light curve, essentially brightness versus time. The top two plots show the light curves for two types of supernovae called “Type Ia” and “other.” The bottom two plots show what happens if we throw away the labels (“Type Ia” and “other”) and apply a clustering algorithm (k-means clustering). We see that the clustering algorithm almost completely recovers the two types of supernovae.

³See <http://topex-www.jpl.nasa.gov/overview/overview.html>. The data are available at “Working Group on Functional and Operator-based Statistics” a web site run by Frederic Ferraty and Philippe Vieu. The address is <http://www.math.univ-toulouse.fr/staph/npfda/>. See also http://podaac.jpl.nasa.gov/DATA_CATALOG/topexPoseidoninfo.html.




Figure 31: Some curves from a dataset of 472 curves. Each curve is a radar waveform from the Topex/Poseidon satellite.

References

- Nir Ailon, Ragesh Jaiswal, and Claire Monteleoni. Streaming k-means approximation. In Yoshua Bengio, Dale Schuurmans, John D. Lafferty, Christopher K. I. Williams, and Aron Culotta, editors, *Advances in Neural Information Processing Systems 22: 23rd Annual Conference on Neural Information Processing Systems 2009. Proceedings of a meeting held 7-10 December 2009, Vancouver, British Columbia, Canada*, pages 10–18. Curran Associates, Inc., 2009. URL <https://proceedings.neurips.cc/paper/2009/hash/4f16c818875d9fcb6867c7bdc89be7eb-Abstract.html>.
- David Arthur and Sergei Vassilvitskii. k-means++: the advantages of careful seeding. In *Proceedings of the Eighteenth Annual ACM-SIAM Symposium on Discrete Algorithms*, pages 1027–1035. ACM, New York, 2007.
- Augustin Banyaga and David Hurtubise. *Lectures on Morse homology*, volume 29 of *Kluwer Texts in the Mathematical Sciences*. Kluwer Academic Publishers Group, Dordrecht, 2004. ISBN 1-4020-2695-1. doi: 10.1007/978-1-4020-2696-6. URL <https://doi.org/10.1007/978-1-4020-2696-6>.
- Peter L. Bartlett, Tamás Linder, and Gábor Lugosi. The minimax distortion redundancy in empirical quantizer design. *IEEE Trans. Inform. Theory*, 44(5):1802–1813, 1998. ISSN 0018-9448. doi: 10.1109/18.705560. URL <https://doi.org/10.1109/18.705560>.
- Shai Ben-David and Ulrike von Luxburg. Relating clustering stability to properties of cluster boundaries. In Rocco A. Servedio and Tong Zhang, editors, *21st Annual Conference on Learning Theory - COLT 2008, Helsinki, Finland, July 9-12, 2008*, pages 379–390. Omnipress, 2008. URL <http://colt2008.cs.helsinki.fi/papers/90-Ben-David.pdf>.
- Shai Ben-David, Ulrike von Luxburg, and Dávid Pál. A sober look at clustering stability. In *Learning theory*, volume 4005 of *Lecture Notes in Comput. Sci.*, pages 5–19. Springer, Berlin, 2006. doi: 10.1007/11776420_4. URL https://doi.org/10.1007/11776420_4.
- Joachim M. Buhmann. Information theoretic model validation for clustering. *CoRR*, abs/1006.0375, 2010. URL <http://arxiv.org/abs/1006.0375>.
- Miguel Á. Carreira-Perpiñán. Fast nonparametric clustering with gaussian blurring mean-shift. In William W. Cohen and Andrew W. Moore, editors, *Machine Learning, Proceedings of the Twenty-Third International Conference*




Figure 32: Light curves for supernovae. The top two plots show the light curves for two types of supernovae. The bottom two plots show the results of clustering the curves into two groups, without using knowledge of their labels.

- (ICML 2006), Pittsburgh, Pennsylvania, USA, June 25-29, 2006, volume 148 of *ACM International Conference Proceeding Series*, pages 153–160. ACM, 2006. doi: 10.1145/1143844.1143864. URL <https://doi.org/10.1145/1143844.1143864>.
- José E. Chacón and Tarn Duong. Unconstrained pilot selectors for smoothed cross-validation. *Aust. N. Z. J. Stat.*, 53(3):331–351, 2011. ISSN 1369-1473. doi: 10.1111/j.1467-842X.2011.00639.x. URL <https://doi.org/10.1111/j.1467-842X.2011.00639.x>.
- José E. Chacón, Tarn Duong, and M. P. Wand. Asymptotics for general multivariate kernel density derivative estimators. *Statist. Sinica*, 21(2):807–840, 2011. ISSN 1017-0405. doi: 10.5705/ss.2011.036a. URL <https://doi.org/10.5705/ss.2011.036a>.
- Frédéric Chazal, Leonidas J. Guibas, Steve Y. Oudot, and Primoz Skraba. Persistence-based clustering in Riemannian manifolds. *J. ACM*, 60(6):Art. 41, 38, 2013. ISSN 0004-5411. doi: 10.1145/2535927. URL <https://doi.org/10.1145/2535927>.
- Frédéric Chazal, Brittany Fasy, Fabrizio Lecci, Bertrand Michel, Alessandro Rinaldo, and Larry Wasserman. Robust topological inference: distance to a measure and kernel distance. *J. Mach. Learn. Res.*, 18:Paper No. 159, 40, 2017. ISSN 1532-4435.
- Yen-Chi Chen, Christopher R. Genovese, and Larry Wasserman. A comprehensive approach to mode clustering. *Electron. J. Stat.*, 10(1):210–241, 2016. doi: 10.1214/15-EJS1102. URL <https://doi.org/10.1214/15-EJS1102>.
- Yizong Cheng. Mean shift, mode seeking, and clustering. *IEEE Trans. Pattern Anal. Mach. Intell.*, 17(8):790–799, 1995. doi: 10.1109/34.400568. URL <https://doi.org/10.1109/34.400568>.
- Dorin Comaniciu and Peter Meer. Mean shift: A robust approach toward feature space analysis. *IEEE Trans. Pattern Anal. Mach. Intell.*, 24(5):603–619, 2002. doi: 10.1109/34.1000236. URL <https://doi.org/10.1109/34.1000236>.
- Sandrine Dudoit and Jane Fridlyand. A prediction-based resampling method for estimating the number of clusters in a dataset. *Genome biology*, 3(7):RESEARCH0036–RESEARCH0036, 2002. ISSN 1474-760X.
- Herbert Edelsbrunner, Brittany Terese Fasy, and Günter Rote. Add isotropic Gaussian kernels at own risk: more and more resilient modes in higher dimensions. *Discrete Comput. Geom.*, 49(4):797–822, 2013. ISSN 0179-5376. doi: 10.1007/s00454-013-9517-x. URL <https://doi.org/10.1007/s00454-013-9517-x>.
- Brittany Terese Fasy, Fabrizio Lecci, Alessandro Rinaldo, Larry Wasserman, Sivaraman Balakrishnan, and Aarti Singh. Confidence sets for persistence diagrams. *Ann. Statist.*, 42(6):2301–2339, 2014. ISSN 0090-5364. doi: 10.1214/14-AOS1252. URL <https://doi.org/10.1214/14-AOS1252>.
- Yu Feng and Greg Hamerly. Pg-means: learning the number of clusters in data. In Bernhard Schölkopf, John C. Platt, and Thomas Hofmann, editors, *Advances in Neural Information Processing Systems 19, Proceedings of the Twentieth Annual Conference on Neural Information Processing Systems, Vancouver, British Columbia, Canada, December 4-7, 2006*, pages 393–400. MIT Press, 2006. URL <https://proceedings.neurips.cc/paper/2006/hash/a9986cb066812f440bc2bb6e3c13696c-Abstract.html>.
- J. A. Hartigan. Consistency of single linkage for high-density clusters. *J. Amer. Statist. Assoc.*, 76(374):388–394, 1981. ISSN 0162-1459. URL [http://links.jstor.org/sici?sici=0162-1459\(198106\)76:374<388:CO SLFH>2.0.CO;2-2&origin=MSN](http://links.jstor.org/sici?sici=0162-1459(198106)76:374<388:CO SLFH>2.0.CO;2-2&origin=MSN).
- Jisu Kim, Yen-Chi Chen, Sivaraman Balakrishnan, Alessandro Rinaldo, and Larry A. Wasserman. Statistical inference for cluster trees. In Daniel D. Lee, Masashi Sugiyama, Ulrike von Luxburg, Isabelle Guyon, and Roman Garnett, editors, *Advances in Neural Information Processing Systems 29: Annual Conference on Neural Information Processing Systems 2016, December 5-10, 2016, Barcelona, Spain*, pages 1831–1839, 2017. URL <https://proceedings.neurips.cc/paper/2016/hash/a9b7ba70783b617e9998dc4dd82eb3c5-Abstract.html>.
- Tilman Lange, Volker Roth, Mikio L. Braun, and Joachim M. Buhmann. Stability-based validation of clustering solutions. *Neural Comput.*, 16(6):1299–1323, 2004. doi: 10.1162/089976604773717621. URL <https://doi.org/10.1162/089976604773717621>.

- Erel Levine and Eytan Domany. Resampling method for unsupervised estimation of cluster validity. *Neural Comput.*, 13(11):2573–2593, 2001. doi: 10.1162/089976601753196030. URL <https://doi.org/10.1162/089976601753196030>.
- Tamás Linder, Gábor Lugosi, and Kenneth Zeger. Rates of convergence in the source coding theorem, in empirical quantizer design, and in universal lossy source coding. *IEEE Trans. Inform. Theory*, 40(6):1728–1740, 1994. ISSN 0018-9448. doi: 10.1109/18.340451. URL <https://doi.org/10.1109/18.340451>.
- Yufeng Liu, David Neil Hayes, Andrew Nobel, and J. S. Marron. Statistical significance of clustering for high-dimension, low-sample size data. *J. Amer. Statist. Assoc.*, 103(483):1281–1293, 2008. ISSN 0162-1459. doi: 10.1198/016214508000000454. URL <https://doi.org/10.1198/016214508000000454>.
- Alessandro Rinaldo and Larry Wasserman. Generalized density clustering. *Ann. Statist.*, 38(5):2678–2722, 2010. ISSN 0090-5364. doi: 10.1214/10-AOS797. URL <https://doi.org/10.1214/10-AOS797>.
- Soham Sarkar and Anil Kumar Ghosh. On perfect clustering of high dimension, low sample size data. *IEEE Trans. Pattern Anal. Mach. Intell.*, 42(9):2257–2272, 2020. doi: 10.1109/TPAMI.2019.2912599. URL <https://doi.org/10.1109/TPAMI.2019.2912599>.
- B. W. Silverman. Using kernel density estimates to investigate multimodality. *J. Roy. Statist. Soc. Ser. B*, 43(1): 97–99, 1981. ISSN 0035-9246. URL [http://links.jstor.org/sici?sici=0035-9246\(1981\)43:1<97:UKDETI>2.0.CO;2-V&origin=MSN](http://links.jstor.org/sici?sici=0035-9246(1981)43:1<97:UKDETI>2.0.CO;2-V&origin=MSN).
- George C. Tseng and Wing H. Wong. Tight clustering: a resampling-based approach for identifying stable and tight patterns in data. *Biometrics*, 61(1):10–16, 2005. ISSN 0006-341X. doi: 10.1111/j.0006-341X.2005.031032.x. URL <https://doi.org/10.1111/j.0006-341X.2005.031032.x>.
- Ulrike von Luxburg. A tutorial on spectral clustering. *Stat. Comput.*, 17(4):395–416, 2007. ISSN 0960-3174. doi: 10.1007/s11222-007-9033-z. URL <https://doi.org/10.1007/s11222-007-9033-z>.
- Larry Wasserman. Asymptotic inference for mixture models by using data-dependent priors. *Journal of the Royal Statistical Society Series B: Statistical Methodology*, 62(1):159–180, 01 2002. ISSN 1369-7412. doi: 10.1111/1467-9868.00226. URL <https://doi.org/10.1111/1467-9868.00226>.